



**Calhoun: The NPS Institutional Archive**  
**DSpace Repository**

---

Theses and Dissertations

1. Thesis and Dissertation Collection, all items

---

1974

# A comparison of patient length of stay: military versus civilian health care delivery

Welham, Walter F.; Judnich, Francis A.

Monterey, California. Naval Postgraduate School

---

<http://hdl.handle.net/10945/16927>

---

*Downloaded from NPS Archive: Calhoun*



<http://www.nps.edu/library>

Calhoun is the Naval Postgraduate School's public access digital repository for research materials and institutional publications created by the NPS community. Calhoun is named for Professor of Mathematics Guy K. Calhoun, NPS's first appointed -- and published -- scholarly author.

**Dudley Knox Library / Naval Postgraduate School**  
**411 Dyer Road / 1 University Circle**  
**Monterey, California USA 93943**

A COMPARISON OF PATIENT LENGTH OF STAY:  
MILITARY VERSUS CIVILIAN HEALTH CARE DELIVERY

Walter F. Welham



# NAVAL POSTGRADUATE SCHOOL

## Monterey, California



# THESIS

A COMPARISON OF PATIENT LENGTH OF STAY:  
MILITARY VERSUS CIVILIAN HEALTH CARE DELIVERY

by

Walter F. Welham, Jr.

and

Francis A. Judnich

Thesis Advisor:

D. R. Whipple, Jr.

March 1974

-Approved for public release; distribution unlimited.



A Comparison of Patient Length of Stay:  
Military Versus Civilian Health Care Delivery

by

Walter F. Welham, Jr.  
Lieutenant Commander, United States Navy  
B.S., United States Naval Academy, 1962

and

Francis A. Judnich  
Lieutenant, United States Navy  
B.S.E.E., University of New Mexico, 1968

Submitted in partial fulfillment of the  
requirements for the degree of

MASTER OF SCIENCE IN OPERATIONS RESEARCH

from the  
NAVAL POSTGRADUATE SCHOOL  
March 1974



## ABSTRACT

The study represents an effort to determine if in-patient mean length of stay for military medical facilities differs significantly from recorded mean length of stay for civilian health care facilities. Dependent/retired military health care was segregated from total military health care records for Balboa and Oak Knoll Naval Hospitals and compared with civilian health care delivery performance for the western region of the United States.

Comparative analysis showed that mean lengths of stay for active duty personnel were significantly greater than comparable dependent/retired military mean lengths of stay. Dependent/retired military mean lengths of stay are essentially the same for Balboa and Oak Knoll Naval Hospitals. The study also indicated that there is no strong evidence that lengths of stay in the civilian sector are significantly less than lengths of stay in the military health care facilities.





## TABLE OF CONTENTS

I.	INTRODUCTION.....	4
II.	NATURE OF THE PROBLEM.....	7
III.	ANALYSIS.....	9
	A. INTRA-HOSPITAL ACTIVE DUTY VS. DEPENDENT/ RETIREED MILITARY LENGTH OF STAY COMPARISONS.....	9
	B. INTER-HOSPITAL COMPARISONS OF DEPENDENT/ RETIREED MILITARY LENGTH OF STAY.....	11
	C. COMPARISON OF PAS LENGTH OF STAY VS. DEPENDENT/RETIREED MILITARY LENGTH OF STAY.....	11
IV.	CONCLUSION.....	13
	A. INTRA-HOSPITAL ACTIVE DUTY VS. DEPENDENT/ RETIREED MILITARY LENGTH OF STAY COMPARISONS.....	13
	B. INTER-HOSPITAL COMPARISONS OF DEPENDENT/ RETIREED MILITARY LENGTH OF STAY.....	14
	C. MILITARY HOSPITAL VS. PAS HOSPITAL LENGTH OF STAY COMPARISONS.....	15
	APPENDIX A PAS CODE DIAGNOSIS GROUPS.....	17
	APPENDIX E APPLICABLE DIAGNOSIS GROUP RECORDS FOR BALBOA AND OAK KNOLL HOSPITALS.....	20
	APPENDIX C INTRA-HOSPITAL LOS COMPARISONS.....	90
	APPENDIX D INTER-HOSPITAL LOS COMPARISONS.....	96
	APPENDIX E MILITARY VS. CIVILIAN HOSPITAL LOS COMPARISONS.....	98
	LIST OF REFERENCES.....	103
	INITIAL DISTRIBUTION LIST.....	104
	FORM DD 1473.....	105



## I. INTRODUCTION

The recent changes in military recruitment and obligated service requirements from involuntary draft practices to the lottery system to the existing policy of an all-volunteer service pose many serious and difficult problems to the individual services in adequately fulfilling their personnel requirements. Justifiably, there is a great deal of concern about the services' ability to effectively attract in sufficient numbers the intelligent, motivated people required to operate and maintain the sophisticated weapons systems of the nation's arsenal, or to administer the vital and complex programs found at all levels of the Department of Defense. The intensity of this problem is particularly acute in programs providing professional service to military members and their dependents; i.e. with respect to physicians, dentists, and lawyers.

Addressing the specific problem of satisfying physician requirements for the military: as of August 1972, one-sixth of all military physicians were serving voluntarily in the military, one-sixth were fulfilling obligations incurred by participation in government subsidized programs, and the remaining two-thirds were obtained through the "Doctors' Draft".[Ref. 1] There have been numerous programs either recently proposed or implemented which are intended to stimulate physician interest in the military service or to attract medical school students into aid-programs requiring obligated service subsequent to their professional training. Due to a national shortage of health professionals and the significant differences in pay scales between most military health professionals and their civilian counterparts, there are very real problems encountered in making any new program truly viable.



The most recent proposals forwarded by DOD depend on more efficient utilization of physician resources, and legislative proposals making military service more attractive to health professionals. An example of the former are plans to reduce the overall number of professionals required by supplementing health care facility staffs with greater numbers of para-professionals and clerical aides in order to reduce time consuming non-professional details and constructing new health facilities to replace outmoded World War II structures so that maximum patient loads may be handled more effectively and efficiently. Another important initiative is one which institutes a tri-service military medical regionalization concept in four areas of the United States. It is considered that this change will increase the quality of health care delivery while achieving maximum utilization of scarce health professional resources.[Ref. 2] Legislative proposals include raising the existing pay scales and establishing lump-sum bonuses for medical officers to make them more competitive with their civilian counterparts, providing increased numbers of government subsidized medical school scholarships which would obligate participants to serve "pay-back" tours as military physicians, and the establishment of a Uniformed Services University of the Health Services.

There is no question that these proposals can significantly ease the projected critical shortage of physicians in the military. However, alternatives have been proposed which deal with reducing the military's need for doctors and they should be carefully considered and evaluated, especially since the solutions achievable by existing initiatives are primarily aimed at the long run problem of physician shortages and offer no answers to shortages currently being experienced. Perhaps a reasonable alternative to the current incentive proposals would recommend deleting or at least restricting dependent/retired military health care





delivery provided by the military hospitals by diverting this service to the civilian sector.

The primary purpose of the military medical service is to provide care for the active duty personnel of the military with an important collateral responsibility of caring for the military dependents and retired members of the Armed Forces. The principal objectives of this study are to:

- 1) Compare intra-hospital military versus dependent/retired military patient length of stay figures for selected diagnosis groups for Balboa and Oak Knoll Naval Hospitals. This represents an attempt to show that length of stay figures for military hospitals, which appear to be significantly higher than those found in the civilian health care delivery sector, are actually driven by special requirements necessary for the active duty military patient.

- 2) Compare inter-hospital dependent/retired military patient length of stay figures for selected diagnosis groups for Balboa and Oak Knoll Naval Hospitals. This represents an effort to determine if length of stay distributions for dependent/retired military health care have similar means and dispersions.

- 3) Compare dependent/retired military patient length of stay with length of stay for civilian hospitals as compiled by the Commission on Professional and Hospital Activities. This represents an effort to determine if the mean length of stay for dependent/retired military differs significantly with the mean length of stay for civilian hospitals.





## II. NATURE OF THE PROBLEM

Medical care delivery can be measured in several ways, among which are its quality of care, the cost of care, and patient length of stay. Qualitative measurement of hospital care poses many serious, and as yet unresolved, problems to the analyst. Measures of effectiveness might be developed, but the validity and strength obtainable with these techniques would be low and open for question even if qualified medical personnel had assisted in their formulation. Although cost data for the Naval Hospitals was obtainable, comparable cost data from the civilian health care delivery sector was not available. Hence, patient length of stay in terms of occupied-bed days was selected as the principal data point for analysis. Unfortunately length of stay has no a priori appeal in providing any indication of differences in quality of care provided. However, length of stay figures can implicitly indicate cost if costs for similar types of care by different hospitals are assumed to be comparable.

The prospect of shortages in physicians at military hospitals has become a reality. A possible solution to this problem could be to temporarily or permanently transfer some hospital care currently being provided by military facilities to the civilian sector. The nature of treatment required by active duty personnel, particularly in cases requiring medical judgement to determine if a patient is fit to return to duty, makes it infeasible to consider transferring any of these patient categories to the civilian sector. However, portions of dependent and retired military health care could be shifted to civilian sectors to alleviate rising patient to physician ratios found at military facilities. This proposal could become exceedingly attractive if length of stay figures for dependent and



retired military care were found to be significantly higher in military hospitals than those found for similar care provided by comparable civilian institutions.

Accordingly, primary emphasis was directed at determining whether similar diagnosis code length of stay figures for different patient categories varied significantly for individual military hospitals; and whether similar diagnosis code length of stay figures for dependent/retired military patient categories differed between two different military hospitals. In addition, length of stay figures for all dependent/retired military patients for two military hospitals were compared with length of stay figures compiled by the Commission on Professional and Hospital Activities for hospitals in the western region of the United States to determine differences in length of stay.[Ref. 3]



### III. ANALYSIS

Balboa and Oak Knoll Naval Hospitals, serving the San Diego and the San Francisco Bay areas respectively, were selected as representatives of the military health care delivery system. Inpatient data records were obtained for Balboa Naval Hospital for fiscal year 1973 and similar records were collected for Oak Knoll covering fiscal year 1971.

Information compiled from these records included:

- 1) Patient category: active duty, dependent, or retired military.
- 2) Age.
- 3) Diagnosis codes: H-ICDA codes.[Ref. 3]
- 4) Number of diagnosis: single or multiple.
- 5) Treatment recieved: operative or non-operative.
- 6) Length of stay: actual occupied bed-days.

#### A. INTRA-HOSPITAL ACTIVE DUTY VS. DEPENDENT/RETIRED MILITARY LENGTH OF STAY COMPARISONS.

Initial analysis consisted of comparing length of stay figures for active duty and dependent/retired military patient categories to determine if average length of stay for the two groups differed significantly for either Balboa or Oak Knoll hospitals. Diagnosis codes were collected into one of 217 diagnosis groups, defined in Appendix A, developed by the Commission on Professional and Hospital Activities as described in their Professional Activity Study (PAS).[Ref. 3] Appendix B displays the data for Oak Knoll and Balboa hospitals by diagnosis group, referred to as PAS code, in a format that is the same used in the Professional Activity Study. Since patient categories for PAS codes did not always have sufficient occurrences for statistical testing, 18 patient categories for Oak Knoll and 15 patient categories for Balboa were selected for active duty military





to dependent/retired military patient length of stay comparisons. The diagnosis groups that contained these patient categories represented 26% and 23% of the total patient population served by Oak Knoll and Balboa Naval Hospitals respectively. Length of stay sample sizes for each patient category varied but were generally small and displayed relatively large variation. Coefficients of variation were computed for each category to determine variability within the group. Depending upon the degree of variability, individual length of stay figures for comparison group pairs were partitioned into sub-groups ranging in size from four to ten data points. The means for each of the sub-groups were then computed and a logarithmic transformation was applied to each sub-group mean. The logarithmic transformation aided in making variances more nearly equal and also tended to normalize the distributions.[Ref. 4] These results were required in order to make subsequent "F"-tests for homogeneity of variance and "t"-tests for equality of means more tractable.

The transformed sub-group means were then used to calculate a new group mean and variance. An "F"-test was used to determine if homogeneity of variance now existed between the newly computed group variances. Depending upon the results of the "F"-test, two variations of the "t"-test were available to test the hypothesis that active duty group mean length of stay was equal to the dependent/retired military group mean. Table 1 provides a summary of results for the applicable "t"-test employed, while complete tabular results and an example are provided in Appendix C.

Summary of Intra-Hospital Active Duty (A.D.) vs. Dependent/Retired (DEP/RET) Military Mean Length of Stay (LOS) Comparisons			
	Balboa	Oak Knoll	Total
A.D. LOS > DEP/RET LOS	15	16	31
A.D. LOS = DEP/RET LOS	0	2	2
A.D. LOS < DEP/RET LOS	0	0	0
Total Examined	15	18	33

Table 1





B. INTER-HOSPITAL COMPARISONS OF DEPENDENT/RETIRED MILITARY LENGTH OF STAY

Techniques similar to those used in the intra-hospital comparisons were utilized to determine if dependent average length of stay varied significantly between Balboa and Oak Knoll hospitals. For this comparison, 13 patient categories were compared. The diagnosis groups that contained these patient categories represented 22% and 26% of the total patient population served at Oak Knoll and Balboa Naval Hospitals respectively. Table 2 provides summary results for this comparison and complete tabular results can be found in Appendix D.

Summary of Inter-Hospital Comparisons of Dependent/Retired Military Length of Stay		
Oak Knoll Mean LOS = Balboa Mean LOS	10	
Oak Knoll Mean LOS < Balboa Mean LOS	2	
Oak Knoll Mean LOS > Balboa Mean LOS	1	

Table 2

C. COMPARISON OF PAS LENGTH OF STAY VS. DEPENDENT/RETIRED MILITARY LENGTH OF STAY.

Since the Professional Activity Study provided only group mean and variance information and not the individual length of stay figures used for their calculation, partitioning and logarithmic transformation techniques used in previous analysis could not be utilized. However, diagnosis group variance homogeneity was tested using an "F"-test and equality of group means was tested using a "t"-test. All patient categories for both Balboa and Oak Knoll Naval Hospitals were examined and those categories that contained at least 50 patient records were compared with the corresponding PAS patient categories. Totals of 37 and 65 patient categories for Oak Knoll and Balboa respectively were used. For that portion of the analysis which dealt with Oak Knoll dependent/retired military patient mean



length of stay versus PAS patient mean length of stay, the diagnosis groups that contained the patient categories that were used represented 40% and 34% of total patients records for Oak Knoll and PAS respectively. Similarly, for the Balboa versus PAS comparisons 55% and 42% respectively of total patient records were represented. A summary of results is provided in Table 3 and complete tabular results may be found in Appendix E.

Summary of Comparison of PAS Mean Length of Stay vs. Dependent/Retired Military Mean Length of Stay				
	PAS> DEP/RET	PAS= DEP/RET	PAS< DEP/RET	Total
Oak Knoll	5	13	19	37
Balboa	3	35	27	65
Total	8	48	46	102

Table 3

Those patient categories that were found to have unequal means were examined to determine difference in the mean lengths of stay for the military hospitals versus the PAS hospitals. Those patient categories that had a difference in mean length of stay of less than one day were considered to have essentially equal mean lengths of stay. Table 4 modifies Table 3 to reflect this.

Summary of Comparison of PAS Mean Length of Stay vs. Dependent/Retired Military Mean Length of Stay				
	PAS> DEP/RET	PAS= DEP/RET*	PAS< DEP/RET	Total
Oak Knoll	3	23	11	37
Balboa	2	41	22	65
Total	5	64	33	102

\*Includes those groups that failed equality of means test, but had a difference in mean LOS of less than 1.0 day.

Table 4



#### IV. CONCLUSION

The availability of data bases that covered only a one year period of in-patient health care for each military hospital restricted the number of patient categories that had sufficient occurrences to be useful for statistical comparison. It is felt that, if the size of the data bases could be increased to cover a three year period, a significantly greater number of categories would be available for comparative analysis.

##### A. INTRA-HOSPITAL ACTIVE DUTY VS. DEPENDENT/RETIRED MILITARY LENGTH OF STAY COMPARISONS.

A total of 33 comparisons were made to effect this analysis, 15 for Balboa Naval Hospital and 18 for Oak Knoll Naval Hospital. The results of these comparisons, provided by Table 1 and Appendix C, show that average length of stay for dependent/retired military patients is significantly less than that of active duty patients. There are several reasons which could explain these differences in average length of stay. In most cases, active duty personnel are not released from the hospital until they are considered fit to return to a full duty status. In some instances, active duty patients must be screened by various medical boards to determine if they meet the physical and/or psychological standards required to return to active duty. These requirements contribute to longer convalescent periods for the active duty patient with respect to those required by the dependent/retired military patient. The above suggests that any comparative analysis designed to identify differences between military and civilian hospitals should separate active duty patient care from dependent/retired military patient care because of the uniqueness of active duty patient health care delivery.

Due to the longer convalescent periods of active duty





patients, the feasibility of transferring these patients to facilities established external to the hospital should be examined. Assuming that these patients no longer require the unique services offered by a hospital, these facilities could be staffed by para-medical personnel and perhaps a small physician staff of predominately general medical officers. Patients at these convalescent facilities could be utilized in limited duty capacities which would make them an asset to the facility, while at the same time, possibly aid in their rehabilitation.

There are two possible benefits of this recommendation. The patient acute care bed to physician ratio could be reduced which could increase the quality of care provided and alleviate the increasing demands placed upon the physicians even though the overall patient to physician ratio may even rise. Another possible benefit is the increased utilization of the hospital facilities created by transferring those active duty patients who no longer require direct hospital care.

#### B. INTER-HOSPITAL COMPARISONS OF DEPENDENT/RETIRED MILITARY LENGTH OF STAY.

A total of 13 dependent categories were compared to determine differences in dependent/retired lengths of stay between Balboa and Oak Knoll Naval Hospitals. The results of the 13 diagnosis code comparisons indicated that dependent/retired military average lengths of stay were generally the same between different military hospitals. This preliminary investigation revealed that regional medical records could be pooled in order to effect a stronger and more meaningful comparison with pooled civilian data of the same region; e.g. PAS. It is significant to mention that Oak Knoll and Balboa hospitals were in the same geographical region and a similar relationship might not hold for hospitals located in different regions. This opinion is supported by observation that PAS results vary significantly from region to region.





### C. MILITARY HOSPITAL VS. PAS HOSPITAL LENGTH OF STAY COMPARISONS.

With regard to the other analysis undertaken, this portion was considered to be of premier importance. Accordingly a total of 102 data points were selected from the military health care sector, 65 from Balboa and 37 from Oak Knoll, for comparison with PAS results. Comparative analysis did not reveal solid evidence that either health care delivery sector completely dominated the other by providing care requiring significantly less patient lengths of stay. As shown in Table 4, of the 102 diagnosis groups investigated 64 displayed equal mean lengths of stay and five groups showed dependent/retired military lengths of stay as being less than that of the civilian sector.

One could very well be tempted to compare overall military hospital length of stay with PAS figures when advocating transference of dependent/retired military health care to the civilian sector. There are several arguments that might be forwarded which would have great appeal to many unwary people. For example, instead of increasing government subsidized medical programs and upgrading military physician pay scales to attract or retain more military physicians, it would be wiser to reduce the current utilization of military health care facilities by shifting dependent/retired military health care to the civilian sector. This approach would provide cost savings in two ways; it would reduce the proposed expensive programs designed to attract physicians and also reduce the cost of operation of the military health care facilities by an amount equal to the marginal cost of health care delivery to dependent/retired military. The flaws of this reasoning are that it assumes that dependent/retired military lengths of stay would be reduced if these patients were cared for by the civilian sector, and it assumes that the cost of care in the civilian sector is about equal to the marginal cost of care provided to the retired/military patient by the



military health care facilities plus the cost of the incentive programs. The question of civilian health care cost is largely unresolved, government agencies in the past have had less than satisfactory results when estimating accurate cost for civilian medical care programs; e.g. CHAMPUS, MEDICARE, etc. In addition, marginal cost for dependent/retired military health care in the military hospital, as of yet, has not been determined. The development of this marginal cost is the key for determining whether reduction of military hospital utilization by dependent/retired military is a feasible direction to continue.

The implications of subscribing to this course of action, if the cost of civilian health care is actually significantly higher, are obvious; the program cost of civilian health care for dependent/retired military could far exceed the combined costs of the incentive programs plus the marginal cost for a military facility to provide similar care.



APPENDIX A.  
PAS CODE DIAGNOSIS GROUPS

All diagnosis codes found in the records of Balboa and Oak Knoll Naval Hospitals were grouped into PAS code groups as defined by Ref. 6. The following list consists of those PAS codes and associated diagnosis codes that were used for comparative analysis.

- 22. Malignant neoplasm of bronchus and lung (H-ICDA\* 162.1)
- 37. Malignant neoplasm of ill-defined and secondary sites (195.0-199.0)
- 45. Uterine fibroma (218.0)
- 58. Diabetes mellitus without complication; prediabetes (250.0; 250.9)
- 63. Metabolic disease (270.0-279.9)
- 70. Chronic organic brain syndrome (297.0-297.9; 299.0-299.9; 301.0-301.9; 305.0-305.9)
- 72. Inflammatory disease of central nervous system (330.0-349.9)
- 79. Strabismus (373.0-373.9)
- 84. Scleroderma (386.0)
- 89. Hypertensive disease (400.0-405.0)
- 90. Acute myocardial infarction (410.0-410.9)
- 91. Ischemic heart disease except acute myocardial infarction (411.0-414.0)
- 93. Heart disease except rheumatic, hypertensive, and ischemic (420.0; 422.0-429.9)
- 106. Pneumonia (480.0-486.0)
- 110. Asthma (493.0-493.9)
- 111. Hypertrophy of tonsils and adenoids (500.0)
- 112. Disease of upper respiratory system except acute URI and tonsils (501.0-508.9)
- 113. Lung and plural disease except pneumonia, bronchitis, and emphysema (510.0-519.9)
- 122. Inguinal hernia (550.0, 552.0)





- 125. Disease of intestine and peritoneum except appendix, hernia, and anal disease (560.0-564.9; 567.0-569.9)
- 126. Disease of liver except infectious and serum hepatitis (576.0-577.9)
- 135. Disease of prostate including hyperplasia (600.0-602.9)
- 136. Disease of male genitalia except prostate (603.0-607.9)
- 142. Metorrhagia (626.6)
- 143. Other disorders of menstruation (626.0-626.5; 626.7-626.9)
- 153. Abortion (640.0-646.0)
- 154. Delivery without complication 650.0)
- 162. Delivery complicated by uterine inertia (657.1-657.2)
- 165. Delivery complicated by second or third degree laceration of perineum (658.1-658.3)
- 170. Delivery complicated by other condition (651.4-651.9; 661.1-661.2; 661.4; 661.8-661.9)
- 172. Infection of skin and subcutaneous tissue (680.0-684.0; 686.0-686.9)
- 174. Skin disease except infective and pilonidal cyst (690.0-709.9)
- 188. Congenital anomaly of musculoskeletal system and generalized congenital anomaly (754.0-759.9)
- 189. Certain diseases peculiar to newborn infants (772.0-778.9)
- 190. Signs, symptoms, and ill-defined conditions (780.0-797.4)
- 195. Fracture of upper extremity (812.0-820.9)
- 197. Fracture of lower extremity except upper end of femur (821.0-829.0)
- 200. Intracranial injury (850.0-854.9)
- 202. Laceration, open wound, superficial injury, contusion; foreign body entering through orifice (870.0-939.1)
- 205. Adverse effect of medicinal agent (960.0-979.9)
- 208. Complication of surgical procedure (996.0-998.9)
- 210. Special conditions and examinations without sickness (Y00.0-Y02.0; Y04.0-Y10.9; Y13.0-Y13.9)



- 211. Follow-up medical and surgical care (Y03.0-Y03.9;  
Y11.0-Y12.9; Y14.0-Y17.9)
- 212. Single term newborn except that by cesarean section  
(Y20.0-Y20.2; Y20.4-Y20.9)
- 213. Single term newborn delivered by cesarean section  
(Y20.3)
- 214. Single immature newborn except that by cesarean section  
(Y22.0-Y21.2; Y21.4-Y21.9)
- 215. Single immature newborn delivered by cesarean section  
(Y21.3)
- 216. Twin or multiple newborn except that by cesarean  
section (Y22.0-Y29.9 except codes ending in .3)
- 217. Twin or multiple newborn delivered by cesarean  
section (codes ending in .3 from Y22.3-29.3)



## APPENDIX B.

### APPLICABLE DIAGNOSIS GROUP RECORDS FOR BALBOA AND OAK KNOLL HOSPITALS

The enclosed records reflect length of stay figures for Balboa and Oak Knoll Naval Hospitals which have been transcribed to a PAS format primarily to facilitate comparative analysis between military and PAS hospitals lengths of stay. The diagnosis groups included represent only those that were used in the analysis.



## BALBOA

PAS\_CODE\_\_22

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	2	34.50	4.5
50-64 YRS	0	0.0	0.0	63	10.44	245.9
65+ YRS	0	0.0	0.0	20	13.43	450.4
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	7	18.86	38.5
50-64 YRS	0	0.0	0.0	25	20.16	239.7
65+ YRS	0	0.0	0.0	10	20.80	52.4
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	1	16.00	0.0
50-64 YRS	0	0.0	0.0	18	19.28	494.3
65+ YRS	0	0.0	0.0	12	26.58	558.8
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	25.00	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	2	63.00	72.0	4	41.75	1371.6
50-64 YRS	0	0.0	0.0	14	31.43	358.4
65+ YRS	0	0.0	0.0	5	34.00	1135.5
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	95	11.89	314.2
B. OPERATED	0	0.0	0.0	42	20.10	157.8
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	31	22.00	499.1
B. OPERATED	2	63.00	72.0	24	33.42	596.6
1. SINGLE DX	0	0.0	0.0	137	14.41	279.2
2. MULTIPLE DX	2	63.00	72.0	55	26.98	564.0
A. NOT OPERATED	0	0.0	0.0	126	14.38	375.1
B. OPERATED	2	63.00	72.0	66	24.94	352.4
TOTAL 00-19 YRS	0	0.0	0.0	1	25.00	0.0
TOTAL 20-34 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 35-49 YRS	2	63.00	72.0	14	27.43	455.0
TOTAL 50-64 YRS	0	0.0	0.0	120	16.24	335.8
TOTAL 65+ YRS	0	0.0	0.0	57	19.30	482.0
GRAND TOTAL	2	63.00	72.0	192	18.01	390.7





## BALBOA

PAS\_CODE\_\_58

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	10	27.10	935.7	30	6.37	22.8
20-34 YRS	13	18.08	162.9	5	8.40	2.8
35-49 YRS	7	23.00	1129.3	7	9.00	13.7
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	3	8.00	43.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	3.00	0.0
20-34 YRS	1	28.00	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	2	29.50	0.5	12	6.42	27.2
20-34 YRS	10	38.90	1129.9	25	10.16	75.1
35-49 YRS	25	24.56	406.0	30	12.33	152.2
50-64 YRS	3	54.00	108.0	62	15.76	339.0
65+ YRS	0	0.0	0.0	56	18.34	303.5
B. OPERATED						
00-19 YRS	0	0.0	0.0	6	19.83	954.6
20-34 YRS	2	39.50	480.5	24	14.42	159.8
35-49 YRS	10	49.40	1171.8	16	9.94	38.2
50-64 YRS	1	89.00	0.0	23	19.48	353.1
65+ YRS	0	0.0	0.0	16	21.63	370.4
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	30	22.23	607.5	45	7.11	20.3
B. OPERATED	1	28.00	0.0	1	3.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED	40	30.60	599.4	185	14.62	257.4
B. OPERATED	13	50.92	1063.4	85	16.68	294.1
1. SINGLE DX	31	22.42	588.3	46	7.02	20.2
2. MULTIPLE DX	53	35.58	772.9	270	15.27	268.8
A. NOT OPERATED	70	27.01	611.5	230	13.15	219.6
B. OPERATED	14	49.29	1019.1	86	16.52	292.8
TOTAL 00-19 YRS	12	27.50	766.5	49	7.96	139.7
TOTAL 20-34 YRS	26	28.12	613.5	54	11.89	109.0
TOTAL 35-49 YRS	42	30.21	778.3	53	11.17	121.7
TOTAL 50-64 YRS	4	62.75	378.3	85	16.76	351.9
TOTAL 65+ YRS	0	0.0	0.0	75	18.63	308.4
GRAND TOTAL	84	30.73	737.7	316	14.07	240.9



## BALBOA

PAS\_CODE--63

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE CF PATIENT	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	3	8.33	89.3	3	4.00	3.0
20-34 YRS	10	14.10	96.3	8	1.25	0.2
35-49 YRS	8	13.25	199.4	1	1.00	0.0
50-64 YRS	0	0.0	0.0	3	14.33	324.3
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	3	6.00	3.0
20-34 YRS	1	5.00	0.0	0	0.0	0.0
35-49 YRS	1	2.00	0.0	5	3.40	2.8
50-64 YRS	0	0.0	0.0	2	5.00	32.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	7	45.86	660.8	11	12.55	319.3
20-34 YRS	29	34.10	851.9	9	5.11	28.4
35-49 YRS	48	29.40	557.1	37	9.49	33.6
50-64 YRS	1	70.00	0.0	51	12.10	117.0
65+ YRS	0	0.0	0.0	20	11.65	106.1
B. OPERATED						
00-19 YRS	1	35.00	0.0	4	15.50	29.7
20-34 YRS	12	39.58	770.3	5	5.00	12.5
35-49 YRS	15	29.20	647.7	15	11.13	72.0
50-64 YRS	4	23.00	300.0	16	12.69	137.0
65+ YRS	0	0.0	0.0	2	20.00	128.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	21	12.95	125.9	15	4.40	74.5
B. OPERATED	2	3.50	4.5	10	4.50	6.9
2. MULTIPLE DX						
A. NOT OPERATED	85	32.84	680.7	128	10.82	102.2
B. OPERATED	32	32.50	631.4	42	11.83	51.9
1. SINGLE DX	23	12.13	122.1	25	4.44	46.1
2. MULTIPLE DX	117	32.74	661.7	170	11.07	59.3
A. NCT OPERATED	106	28.90	632.0	143	10.15	102.7
B. OPERATED	34	30.79	641.3	52	10.42	83.7
TOTAL 00-19 YRS	11	34.64	710.1	21	10.95	181.1
TOTAL 20-34 YRS	52	30.96	742.9	22	3.68	16.8
TOTAL 35-49 YRS	72	27.18	551.1	58	9.24	44.3
TOTAL 50-64 YRS	5	32.40	666.8	72	12.13	122.6
TOTAL 65+ YRS	0	0.0	0.0	22	12.41	108.2
GRAND TOTAL	140	29.36	630.3	195	10.22	57.2



## BALBOA

PAS\_CODE\_\_70

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	81	7.00	188.4	1	2.00	0.0
20-34 YRS	79	8.76	199.8	0	0.0	0.0
35-49 YRS	5	19.80	1009.7	0	0.0	0.0
50-64 YRS	0	0.0	0.0	1	6.00	0.0
65+ YRS	0	0.0	0.0	1	14.00	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	51.00	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	99	18.41	459.3	8	3.88	29.8
20-34 YRS	93	16.67	441.2	8	5.75	127.6
35-49 YRS	4	26.25	202.3	4	14.75	151.6
50-64 YRS	1	50.00	0.0	4	8.00	156.7
65+ YRS	0	0.0	0.0	1	4.00	0.0
B. OPERATED						
00-19 YRS	6	53.83	365.4	2	2.50	0.5
20-34 YRS	11	31.27	211.8	2	10.00	18.0
35-49 YRS	0	0.0	0.0	2	41.50	2380.5
50-64 YRS	0	0.0	0.0	1	72.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	165	8.23	216.5	3	7.33	37.3
B. OPERATED	1	51.00	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED	197	17.91	447.4	25	6.88	103.8
B. OPERATED	17	39.24	370.1	7	25.71	1101.9
1. SINGLE DX	166	8.49	226.3	3	7.33	37.3
2. MULTIPLE DX	214	19.60	472.9	32	11.00	356.2
A. NOT OPERATED	362	13.50	364.6	28	6.93	95.0
B. OPERATED	18	39.89	356.0	7	25.71	1101.9
TOTAL 00-19 YRS	186	14.59	417.7	11	3.45	21.5
TOTAL 20-34 YRS	184	14.33	359.3	10	6.60	104.5
TOTAL 35-49 YRS	9	22.67	592.3	6	23.67	757.9
TOTAL 50-64 YRS	1	50.00	0.0	6	18.33	809.9
TOTAL 65+ YRS	0	0.0	0.0	2	9.00	50.0
GRAND TOTAL	380	14.75	394.8	35	10.69	328.0





## BALBOA

PAS\_CODE\_\_12

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE CF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	36	7.03	263.4	4	3.50	7.0
20-34 YRS	79	9.27	324.1	1	4.00	0.0
35-49 YRS	15	10.93	142.1	1	16.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	3	2.67	4.3
B. OPERATED						
00-19 YRS	1	1.00	0.0	0	0.0	0.0
20-34 YRS	2	29.50	0.5	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	41	18.80	451.5	12	2.50	14.1
20-34 YRS	67	10.51	247.4	15	1.53	4.0
35-49 YRS	7	15.29	139.2	8	5.00	32.0
50-64 YRS	1	21.00	0.0	7	7.29	60.2
65+ YRS	0	0.0	0.0	12	16.33	175.0
B. OPERATED						
00-19 YRS	8	15.75	432.2	1	1.00	0.0
20-34 YRS	11	7.18	96.0	4	12.00	60.7
35-49 YRS	2	11.50	12.5	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	4	23.75	306.3
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	130	8.85	284.3	9	4.67	22.0
B. OPERATED	3	20.00	271.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED	116	13.82	322.1	54	6.30	84.2
B. OPERATED	21	10.86	216.9	9	16.00	203.8
1. SINGLE DX	133	9.11	284.7	9	4.67	22.0
2. MULTIPLE DX	137	13.36	305.4	63	7.68	110.0
A. NOT OPERATED	246	11.20	307.1	63	6.06	75.2
B. OPERATED	24	12.00	221.7	9	16.00	203.8
TOTAL 00-19 YRS	84	13.41	389.8	17	2.63	11.4
TOTAL 20-34 YRS	159	9.90	275.2	20	3.75	30.7
TOTAL 35-49 YRS	24	12.25	127.3	9	6.22	41.4
TOTAL 50-64 YRS	1	21.00	0.0	7	7.29	60.2
TOTAL 65+ YRS	0	0.0	0.0	19	15.74	201.4
GRAND TOTAL	270	11.27	298.7	72	7.31	99.5



## BALBOA

PAS\_CODE\_\_72

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	6	1.00	0.4
20-34 YRS	2	42.00	2048.0	1	4.00	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	1	10.00	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	51	2.16	0.3
20-34 YRS	1	16.00	0.0	5	2.00	0.0
35-49 YRS	0	0.0	0.0	1	2.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	1	1.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	1	3.00	0.0	5	3.60	7.3
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	1	4.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	1	3.00	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	8	2.50	0.9
20-34 YRS	0	0.0	0.0	2	2.00	0.0
35-49 YRS	1	19.00	0.0	3	11.67	280.3
50-64 YRS	1	22.00	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	3	2.00	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	3	31.33	1365.3	7	1.43	1.6
B. OPERATED	1	16.00	0.0	58	2.12	0.3
2. MULTIPLE DX						
A. NOT OPERATED	1	3.00	0.0	7	3.57	5.0
B. OPERATED	2	20.50	4.5	16	4.06	52.1
1. SINGLE DX	4	27.50	969.0	65	2.05	0.5
2. MULTIPLE DX	3	14.67	104.3	23	3.91	36.9
A. NOT OPERATED	4	24.25	1110.9	14	2.50	4.3
B. OPERATED	3	19.00	9.0	74	2.54	11.6
TOTAL 00-19 YRS	1	3.00	0.0	70	2.20	1.0
TOTAL 20-34 YRS	3	33.33	1249.3	8	2.25	0.5
TOTAL 35-49 YRS	1	19.00	0.0	5	8.20	163.2
TOTAL 50-64 YRS	2	16.00	72.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	5	2.00	0.5
GRAND TOTAL	7	22.00	566.3	88	2.53	10.3



## BALBOA

PAS\_CODE\_\_84

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	18	5.50	8.0	17	3.41	8.6
20-34 YRS	9	3.67	7.8	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	1	15.00	0.0	78	2.13	2.5
20-34 YRS	8	19.00	512.3	4	4.50	13.7
35-49 YRS	2	15.00	98.0	4	3.00	0.7
50-64 YRS	0	0.0	0.0	5	2.20	0.2
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	85	13.48	241.8	50	4.26	33.5
20-34 YRS	21	17.05	487.2	0	0.0	0.0
35-49 YRS	1	2.00	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	1	8.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	3	35.00	547.0	57	2.51	13.3
20-34 YRS	7	34.57	1021.0	2	2.50	0.5
35-49 YRS	2	42.50	2244.5	0	0.0	0.0
50-64 YRS	0	0.0	0.0	2	3.00	2.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	27	4.89	8.4	17	3.41	8.6
B. OPERATED	11	17.91	371.9	91	2.27	2.9
2. MULTIPLE DX						
A. NOT OPERATED	107	14.07	286.9	51	4.33	33.1
B. OPERATED	12	36.00	869.6	61	2.52	12.5
1. SINGLE DX	38	8.66	142.2	108	2.45	3.9
2. MULTIPLE DX	119	16.29	382.8	112	3.35	22.5
A. NOT OPERATED	134	12.22	244.0	68	4.10	26.9
B. OPERATED	23	27.35	689.2	152	2.38	6.7
TOTAL 00-19 YRS	107	12.76	226.6	202	2.87	14.3
TOTAL 20-34 YRS	45	17.44	529.6	6	3.83	9.4
TOTAL 35-49 YRS	5	23.40	917.8	4	3.00	0.7
TOTAL 50-64 YRS	0	0.0	0.0	8	3.13	4.4
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	157	14.44	334.0	220	2.91	13.5



## BALBOA

PAS\_CODE\_\_82

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	12	8.83	94.7	0	0.0	0.0
20-34 YRS	23	23.00	815.2	0	0.0	0.0
35-49 YRS	15	18.07	429.4	5	8.60	41.8
50-64 YRS	2	3.50	12.5	5	2.60	0.8
65+ YRS	0	0.0	0.0	1	2.00	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	2	4.00	8.0
20-34 YRS	3	13.33	385.3	1	2.00	0.0
35-49 YRS	3	2.33	0.3	5	5.40	42.8
50-64 YRS	0	0.0	0.0	6	2.00	0.0
65+ YRS	0	0.0	0.0	1	2.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	3	11.33	236.3	5	5.80	24.7
20-34 YRS	18	25.83	447.4	10	10.10	212.8
35-49 YRS	36	32.39	697.0	56	13.16	218.5
50-64 YRS	6	28.83	516.2	96	13.02	152.8
65+ YRS	0	0.0	0.0	51	12.84	124.2
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	2.00	0.0
20-34 YRS	5	18.80	78.7	9	10.56	109.3
35-49 YRS	10	25.80	710.8	10	13.10	157.4
50-64 YRS	2	23.00	450.0	28	13.11	159.6
65+ YRS	0	0.0	0.0	15	17.40	101.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	52	17.56	529.3	11	5.27	27.2
B. OPERATED	6	7.83	190.6	15	3.40	15.4
2. MULTIPLE DX						
A. NOT OPERATED	63	29.17	590.1	218	12.72	161.7
B. OPERATED	17	23.41	457.9	63	13.59	136.4
1. SINGLE DX	58	16.55	499.2	26	4.19	20.4
2. MULTIPLE DX	80	27.95	561.4	281	12.91	155.6
A. NOT OPERATED	115	23.92	591.4	229	12.36	157.6
B. OPERATED	23	19.35	425.2	78	11.63	129.0
TOTAL 00-19 YRS	15	9.33	109.2	8	4.88	17.3
TOTAL 20-34 YRS	49	23.02	565.4	20	9.90	150.3
TOTAL 35-49 YRS	64	26.59	648.8	76	12.34	188.4
TOTAL 50-64 YRS	10	22.60	445.2	135	12.16	149.2
TOTAL 65+ YRS	0	0.0	0.0	68	13.53	121.4
GRAND TOTAL	138	23.16	563.3	307	12.17	150.0





## BALBOA

PAS\_CODE\_\_90

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	2	43.50	924.5	2	7.00	8.0
35-49 YRS	2	77.50	364.5	18	14.67	45.8
50-64 YRS	0	0.0	0.0	29	16.86	110.5
65+ YRS	0	0.0	0.0	19	17.00	157.2
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	1	5.00	0.0
65+ YRS	0	0.0	0.0	1	3.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	48.00	0.0	1	4.00	0.0
35-49 YRS	12	39.17	575.4	25	13.56	81.9
50-64 YRS	2	56.50	144.5	51	16.20	93.5
65+ YRS	0	0.0	0.0	26	14.15	87.5
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	24.00	0.0
20-34 YRS	1	34.00	0.0	0	0.0	0.0
35-49 YRS	2	43.00	2048.0	4	18.75	214.3
50-64 YRS	0	0.0	0.0	4	8.50	47.0
65+ YRS	0	0.0	0.0	7	44.43	696.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	4	60.50	815.0	68	16.03	103.6
B. OPERATED	0	0.0	0.0	2	4.00	2.0
2. MULTIPLE DX						
A. NOT OPERATED	15	42.07	501.9	103	14.92	89.1
B. OPERATED	3	40.00	1051.0	16	27.75	581.8
1. SINGLE DX	4	60.50	815.0	70	15.69	104.7
2. MULTIPLE DX	18	41.72	537.6	119	16.65	170.3
A. NOT OPERATED	19	45.95	585.8	171	15.36	94.6
B. OPERATED	3	40.00	1051.0	18	25.11	572.5
TOTAL 00-19 YRS	0	0.0	0.0	1	24.00	0.0
TOTAL 20-34 YRS	4	42.25	342.9	3	6.00	7.0
TOTAL 35-49 YRS	16	44.44	751.1	47	14.43	75.7
TOTAL 50-64 YRS	2	56.50	144.5	85	15.93	98.5
TOTAL 65+ YRS	0	0.0	0.0	53	18.96	282.0
GRAND TOTAL	22	45.14	606.6	189	16.29	145.6



## BALBOA

PAS\_CODE\_\_91

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	1	60.00	0.0	0	0.0	0.0
20-34 YRS	2	57.00	450.0	1	6.00	0.0
35-49 YRS	9	17.00	611.0	11	7.55	54.7
50-64 YRS	0	0.0	0.0	36	9.56	58.1
65+ YRS	0	0.0	0.0	30	12.97	196.2
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	2	2.50	0.5	0	0.0	0.0
35-49 YRS	2	10.50	180.5	16	11.69	253.0
50-64 YRS	0	0.0	0.0	23	11.57	118.3
65+ YRS	0	0.0	0.0	1	3.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	5	43.20	700.7	5	4.20	1.7
35-49 YRS	44	24.16	473.9	110	8.42	71.5
50-64 YRS	7	43.57	578.6	194	10.61	78.7
65+ YRS	0	0.0	0.0	174	12.27	119.4
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	3.00	0.0
20-34 YRS	4	44.50	1161.0	1	3.00	0.0
35-49 YRS	14	29.29	913.5	21	12.19	108.6
50-64 YRS	2	65.00	1152.0	46	15.87	233.8
65+ YRS	0	0.0	0.0	34	22.06	501.1
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	12	27.25	829.7	78	10.54	111.7
B. OPERATED	4	6.50	81.7	40	11.40	165.9
2. MULTIPLE DX						
A. NOT OPERATED	56	28.29	548.2	483	10.64	93.1
B. OPERATED	20	35.90	1005.9	103	16.91	304.3
1. SINGLE DX	16	22.06	710.9	118	10.83	129.0
2. MULTIPLE DX	76	30.29	668.2	586	11.75	135.4
A. NOT OPERATED	68	28.10	586.4	561	10.63	95.5
B. OPERATED	24	31.00	966.9	143	15.37	270.3
TOTAL 00-19 YRS	1	60.00	0.0	1	3.00	0.0
TOTAL 20-34 YRS	13	39.46	854.6	7	4.29	1.9
TOTAL 35-49 YRS	69	23.87	566.4	158	9.19	93.6
TOTAL 50-64 YRS	9	48.33	667.3	299	11.37	105.7
TOTAL 65+ YRS	0	0.0	0.0	239	13.71	192.2
GRAND TOTAL	92	28.86	677.7	704	11.59	134.3



## BALBOA

PAS\_CODE\_\_93

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	2	14.50	312.5	10	3.50	7.8
20-34 YRS	17	20.82	638.9	4	26.25	2111.6
35-49 YRS	7	15.29	221.9	13	11.77	177.2
50-64 YRS	0	0.0	0.0	28	10.54	259.0
65+ YRS	0	0.0	0.0	26	12.23	146.3
B. OPERATED						
00-19 YRS	1	1.00	0.0	4	2.00	0.0
20-34 YRS	4	25.50	1377.0	2	2.00	0.0
35-49 YRS	1	25.00	0.0	4	2.50	1.7
50-64 YRS	0	0.0	0.0	4	8.50	169.0
65+ YRS	0	0.0	0.0	3	32.67	1209.3
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	11	22.64	318.5	33	5.27	28.7
20-34 YRS	20	27.20	650.1	17	5.59	16.6
35-49 YRS	13	45.46	1151.1	60	8.98	56.9
50-64 YRS	3	63.33	133.3	132	13.19	155.7
65+ YRS	0	0.0	0.0	166	13.42	154.7
B. OPERATED						
00-19 YRS	7	21.71	442.2	17	13.12	333.1
20-34 YRS	4	18.25	482.9	7	5.29	28.6
35-49 YRS	4	25.25	410.9	21	29.14	971.8
50-64 YRS	2	49.00	3200.0	21	18.52	276.0
65+ YRS	0	0.0	0.0	32	21.75	234.6
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	26	18.85	482.4	81	11.19	259.1
B. OPERATED	6	21.33	925.5	17	9.06	317.2
2. MULTIPLE DX						
A. NOT OPERATED	47	33.49	787.8	408	11.71	131.9
B. OPERATED	17	24.94	621.6	98	19.97	432.5
1. SINGLE DX	32	19.31	539.3	98	10.82	266.6
2. MULTIPLE DX	64	31.22	747.5	506	13.31	200.1
A. NOT OPERATED	73	28.27	720.6	489	11.62	152.5
B. OPERATED	23	24.00	665.0	115	18.36	427.6
TOTAL 00-19 YRS	21	20.52	333.2	64	6.88	115.5
TOTAL 20-34 YRS	45	23.84	651.6	30	8.03	287.1
TOTAL 35-49 YRS	25	32.96	870.7	98	13.41	327.9
TOTAL 50-64 YRS	5	57.60	928.3	185	13.29	186.4
TOTAL 65+ YRS	0	0.0	0.0	227	14.71	185.2
GRAND TOTAL	96	27.25	703.5	604	12.90	211.3





BALBOA

PAS\_CODE\_106

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	1058	16.55	259.8	65	4.52	6.4
20-34 YRS	357	14.98	260.5	13	6.15	26.3
35-49 YRS	15	9.00	45.6	6	8.83	89.8
50-64 YRS	0	0.0	0.0	7	8.71	65.2
65+ YRS	0	0.0	0.0	11	11.45	41.5
B. OPERATED						
00-19 YRS	7	54.00	529.3	3	8.33	20.3
20-34 YRS	4	34.25	1016.9	0	0.0	0.0
35-49 YRS	0	0.0	0.0	1	15.00	0.0
50-64 YRS	0	0.0	0.0	2	6.50	24.5
65+ YRS	0	0.0	0.0	1	78.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	238	28.00	592.5	71	6.68	53.6
20-34 YRS	88	33.27	515.8	16	14.19	301.2
35-49 YRS	5	40.40	684.8	15	15.27	165.2
50-64 YRS	0	0.0	0.0	26	19.35	339.7
65+ YRS	0	0.0	0.0	27	17.22	185.3
B. OPERATED						
00-19 YRS	30	51.30	477.7	6	19.67	150.7
20-34 YRS	10	45.80	519.7	4	7.25	50.9
35-49 YRS	2	13.00	32.0	7	13.29	95.6
50-64 YRS	1	38.00	0.0	9	32.33	678.8
65+ YRS	0	0.0	0.0	10	22.90	610.8
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	1430	16.08	258.5	102	6.02	25.2
B. OPERATED	11	46.82	722.0	7	18.71	705.9
2. MULTIPLE DX						
A. NOT OPERATED	331	29.59	577.0	155	12.25	183.6
B. OPERATED	43	47.93	511.6	36	21.11	428.0
1. SINGLE DX	1441	16.31	268.7	109	6.83	72.6
2. MULTIPLE DX	374	31.70	602.4	191	13.92	239.7
A. NOT OPERATED	1761	18.62	346.0	257	9.77	129.7
B. OPERATED	54	47.70	541.8	43	20.72	458.3
TOTAL 00-19 YRS	1333	19.57	373.3	145	6.28	45.0
TOTAL 20-34 YRS	459	19.33	386.7	33	10.18	171.5
TOTAL 35-49 YRS	22	16.50	339.7	29	13.45	125.5
TOTAL 50-64 YRS	1	38.00	0.0	44	19.73	354.7
TOTAL 65+ YRS	0	0.0	0.0	49	18.33	313.6
GRAND TOTAL	1815	19.48	376.0	300	11.34	190.2



## BALBOA

PAS\_CODE\_110

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	27	10.67	152.5	135	2.50	2.5
20-34 YRS	18	12.72	357.3	11	4.09	5.1
35-49 YRS	5	10.80	187.7	15	4.20	7.3
50-64 YRS	0	0.0	0.0	10	4.80	27.3
65+ YRS	0	0.0	0.0	3	8.67	52.3
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	2.00	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	27	10.89	102.4	35	3.40	5.5
20-34 YRS	11	33.45	904.1	6	6.50	17.9
35-49 YRS	4	30.50	389.7	17	10.18	65.8
50-64 YRS	0	0.0	0.0	12	8.50	69.0
65+ YRS	0	0.0	0.0	2	9.00	50.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	3.00	0.0	1	2.00	0.0
35-49 YRS	0	0.0	0.0	1	3.00	0.0
50-64 YRS	0	0.0	0.0	1	5.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	50	11.42	221.1	174	2.99	6.0
B. OPERATED	0	0.0	0.0	1	2.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED	42	18.67	426.1	72	6.26	38.9
B. OPERATED	1	3.00	0.0	3	3.33	2.3
1. SINGLE DX	50	11.42	221.1	175	2.98	5.9
2. MULTIPLE DX	43	18.30	421.7	75	6.15	37.7
A. NOT OPERATED	92	14.73	324.2	246	3.95	17.7
B. OPERATED	1	3.00	0.0	4	3.00	2.0
TOTAL 00-19 YRS	54	10.78	125.0	171	2.68	3.2
TOTAL 20-34 YRS	30	20.00	632.7	18	4.78	10.1
TOTAL 35-49 YRS	9	19.56	347.8	33	7.24	45.6
TOTAL 50-64 YRS	0	0.0	0.0	23	6.74	49.2
TOTAL 65+ YRS	0	0.0	0.0	5	8.80	38.7
GRAND TOTAL	93	14.60	322.2	250	3.93	17.5



## BALBOA

PAS\_CODE\_111

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	3	5.33	44.3	3	3.00	7.0
20-34 YRS	8	15.25	506.5	1	1.00	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	43	8.81	8.9	111	2.03	0.0
20-34 YRS	162	8.58	16.2	14	2.14	0.1
35-49 YRS	5	8.80	26.7	2	3.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	2	9.50	112.5
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	1	15.00	0.0	4	1.50	1.0
20-34 YRS	1	3.00	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	7	42.57	1248.0	47	1.96	0.0
20-34 YRS	12	30.50	886.3	1	2.00	0.0
35-49 YRS	4	36.00	1058.0	2	2.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	11	12.55	384.9	4	2.50	5.7
B. OPERATED	210	8.63	14.8	129	2.17	1.8
2. MULTIPLE DX						
A. NOT OPERATED	2	9.00	72.0	4	1.50	1.0
B. OPERATED	23	35.13	957.2	50	1.96	0.0
1. SINGLE DX	221	8.83	32.2	133	2.18	1.9
2. MULTIPLE DX	25	33.04	932.8	54	1.93	0.1
A. NOT OPERATED	13	12.00	328.5	8	2.00	3.1
B. OPERATED	233	11.25	166.8	179	2.11	1.3
TOTAL 00-19 YRS	54	13.11	283.1	165	2.01	0.2
TOTAL 20-34 YRS	183	10.28	118.2	16	2.00	0.2
TOTAL 35-49 YRS	9	20.89	615.6	4	2.50	0.3
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	2	9.50	112.5
GRAND TOTAL	246	11.29	174.1	187	2.11	1.4



## BALBOA

PAS\_CODE\_112

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	16	11.25	158.1	6	11.00	249.6
20-34 YRS	15	6.73	23.6	6	2.83	7.0
35-49 YRS	1	2.00	0.0	6	2.50	5.5
50-64 YRS	0	0.0	0.0	4	5.75	11.6
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	32	13.22	50.4	40	2.77	7.3
20-34 YRS	153	12.90	125.9	48	2.44	0.8
35-49 YRS	40	9.60	139.9	45	2.62	1.6
50-64 YRS	3	5.33	8.3	28	2.64	1.3
65+ YRS	0	0.0	0.0	5	2.80	1.2
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	41	18.68	359.6	8	4.75	17.1
20-34 YRS	41	27.98	749.4	4	1.25	0.3
35-49 YRS	7	28.14	871.8	5	4.00	26.5
50-64 YRS	1	15.00	0.0	4	4.50	9.7
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	19	47.05	838.9	13	4.62	12.1
20-34 YRS	43	30.44	906.9	21	4.81	55.0
35-49 YRS	10	17.00	488.4	14	11.07	638.1
50-64 YRS	1	22.00	0.0	26	6.65	38.0
65+ YRS	0	0.0	0.0	9	14.00	302.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	32	8.84	93.8	22	5.50	101.1
B. OPERATED	228	12.27	117.6	166	2.61	2.7
2. MULTIPLE DX						
A. NOT OPERATED	50	23.61	579.6	21	3.86	14.5
B. OPERATED	73	32.81	893.0	83	7.41	167.6
1. SINGLE DX	260	11.85	115.5	188	2.95	14.6
2. MULTIPLE DX	163	27.73	736.4	104	6.69	138.3
A. NOT OPERATED	122	19.74	492.9	43	4.70	58.2
B. OPERATED	301	17.25	381.1	249	4.21	62.3
TOTAL 00-19 YRS	108	20.95	467.2	67	4.10	40.3
TOTAL 20-34 YRS	252	17.98	414.9	79	3.04	16.2
TOTAL 35-49 YRS	58	12.98	305.8	70	4.40	134.6
TOTAL 50-64 YRS	5	10.60	62.3	62	4.65	20.9
TOTAL 65+ YRS	0	0.0	0.0	14	10.00	217.2
GRAND TOTAL	423	17.97	413.5	292	4.28	61.5





## BALBOA

PAS\_CODE\_113

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	9	14.56	227.0	2	2.50	4.5
20-34 YRS	3	7.33	46.3	2	11.50	24.5
35-49 YRS	3	5.00	7.0	6	7.17	16.6
50-64 YRS	0	0.0	0.0	14	10.50	73.2
65+ YRS	0	0.0	0.0	11	8.27	123.6
B. OPERATED						
00-19 YRS	9	16.11	37.4	9	7.89	33.1
20-34 YRS	24	18.38	178.5	8	13.00	51.4
35-49 YRS	4	13.00	75.3	6	8.00	6.4
50-64 YRS	0	0.0	0.0	8	9.88	117.6
65+ YRS	0	0.0	0.0	2	3.50	4.5
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	16	40.81	1448.4	9	6.44	15.5
20-34 YRS	22	32.36	799.2	1	4.00	0.0
35-49 YRS	11	34.27	820.2	24	12.46	344.2
50-64 YRS	1	50.00	0.0	47	15.19	189.2
65+ YRS	0	0.0	0.0	57	15.05	148.1
B. OPERATED						
00-19 YRS	10	59.30	502.9	6	9.83	37.8
20-34 YRS	21	39.52	755.9	4	4.25	4.9
35-49 YRS	8	36.50	921.4	9	26.56	302.5
50-64 YRS	1	39.00	0.0	28	27.00	379.5
65+ YRS	0	0.0	0.0	18	19.00	276.7
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	15	11.20	156.0	35	8.83	72.1
B. OPERATED	37	17.24	131.8	33	9.36	52.9
2. MULTIPLE DX						
A. NOT OPERATED	50	35.84	971.4	138	14.01	188.6
B. OPERATED	40	43.85	752.0	65	21.74	351.0
1. SINGLE DX	52	15.50	143.5	68	9.09	61.9
2. MULTIPLE DX	90	39.40	880.4	203	16.48	252.2
A. NOT OPERATED	65	30.15	887.4	173	12.96	168.8
B. OPERATED	77	31.06	627.4	98	17.57	283.6
TOTAL 00-19 YRS	44	34.59	971.6	26	7.42	27.1
TOTAL 20-34 YRS	70	28.64	620.0	15	9.87	46.0
TOTAL 35-49 YRS	26	28.31	735.5	45	13.98	282.3
TOTAL 50-64 YRS	2	44.50	60.5	97	17.48	256.8
TOTAL 65+ YRS	0	0.0	0.0	88	14.75	195.2
GRAND TOTAL	142	30.65	741.1	271	14.63	214.4



## BALBOA

PAS\_CODE\_122

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	12	14.58	237.7	12	1.00	0.4
20-34 YRS	10	9.90	157.4	2	2.50	4.5
35-49 YRS	0	0.0	0.0	3	6.33	34.3
50-64 YRS	0	0.0	0.0	4	4.75	8.3
65+ YRS	0	0.0	0.0	10	9.00	81.6
B. OPERATED						
00-19 YRS	63	34.73	185.0	109	2.45	1.4
20-34 YRS	78	26.51	194.3	8	3.63	1.1
35-49 YRS	43	19.70	445.6	33	6.33	14.9
50-64 YRS	5	11.00	50.5	65	5.26	6.4
65+ YRS	0	0.0	0.0	38	11.03	172.3
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	1	19.00	0.0	5	3.20	19.2
20-34 YRS	7	13.71	83.6	2	3.50	4.5
35-49 YRS	1	65.00	0.0	3	2.33	0.3
50-64 YRS	1	48.00	0.0	6	8.83	49.4
65+ YRS	0	0.0	0.0	6	24.83	474.2
B. OPERATED						
00-19 YRS	30	42.83	303.5	33	2.61	2.2
20-34 YRS	40	32.65	534.1	1	14.00	0.0
35-49 YRS	17	26.76	1004.7	6	8.33	6.3
50-64 YRS	1	9.00	0.0	24	10.88	119.3
65+ YRS	0	0.0	0.0	24	12.92	257.9
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	22	12.45	197.7	31	4.68	40.1
B. OPERATED	189	27.29	280.3	253	5.00	38.0
2. MULTIPLE DX						
A. NOT OPERATED	10	22.80	390.0	22	10.55	214.9
B. OPERATED	88	34.72	570.0	88	8.19	121.3
1. SINGLE DX	211	25.74	291.3	284	4.97	38.1
2. MULTIPLE DX	98	33.50	560.6	110	8.66	129.1
A. NOT OPERATED	32	15.69	270.9	53	7.11	118.4
B. OPERATED	277	29.65	382.6	341	5.83	61.2
TOTAL 00-19 YRS	106	34.59	285.4	159	2.40	2.1
TOTAL 20-34 YRS	135	26.44	321.8	13	4.23	10.2
TOTAL 35-49 YRS	61	22.41	620.7	45	6.33	14.7
TOTAL 50-64 YRS	7	16.00	233.3	99	6.82	41.0
TOTAL 65+ YRS	0	0.0	0.0	78	12.41	214.7
GRAND TOTAL	309	28.20	388.3	394	6.00	68.8



## BALBOA

PAS\_CODE\_135

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	16	11.31	65.0	0	0.0	0.0
20-34 YRS	7	11.71	92.6	0	0.0	0.0
35-49 YRS	2	18.50	40.5	1	3.00	0.0
50-64 YRS	0	0.0	0.0	7	4.29	23.6
65+ YRS	0	0.0	0.0	15	7.47	18.4
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	2	1.50	0.5	0	0.0	0.0
35-49 YRS	3	1.67	0.3	4	2.00	0.0
50-64 YRS	2	2.00	0.0	54	5.52	21.1
65+ YRS	0	0.0	0.0	64	6.25	40.3
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	8	12.13	246.4	0	0.0	0.0
20-34 YRS	10	21.90	802.5	0	0.0	0.0
35-49 YRS	2	45.00	1352.0	1	23.00	0.0
50-64 YRS	2	24.00	1152.0	12	14.33	109.2
65+ YRS	0	0.0	0.0	19	12.00	147.3
B. OPERATED						
00-19 YRS	2	69.50	760.5	0	0.0	0.0
20-34 YRS	2	11.00	2.0	0	0.0	0.0
35-49 YRS	7	21.29	607.9	3	18.33	662.3
50-64 YRS	1	41.00	0.0	21	13.24	128.9
65+ YRS	0	0.0	0.0	37	15.11	247.5
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	25	12.00	69.3	23	6.30	20.9
B. OPERATED	7	1.71	0.2	122	5.79	30.8
2. MULTIPLE DX						
A. NOT OPERATED	22	20.64	631.3	32	13.22	128.8
B. OPERATED	12	29.25	808.9	61	14.62	218.4
1. SINGLE DX	32	9.75	72.4	145	5.87	29.1
2. MULTIPLE DX	34	23.68	688.8	93	14.14	186.3
A. NOT OPERATED	47	16.04	343.3	55	10.33	94.3
B. OPERATED	19	19.11	680.7	183	8.73	109.9
TOTAL 00-19 YRS	26	16.04	386.3	0	0.0	0.0
TOTAL 20-34 YRS	21	15.52	436.2	0	0.0	0.0
TOTAL 35-49 YRS	14	20.07	562.7	9	9.89	250.9
TOTAL 50-64 YRS	5	18.60	565.8	94	8.28	72.2
TOTAL 65+ YRS	0	0.0	0.0	135	9.62	122.2
GRAND TOTAL	66	16.92	433.4	238	9.10	106.4



## BALBOA

PAS\_CODE\_136

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	45	11.60	102.2	4	3.25	10.9
20-34 YRS	42	9.88	40.3	2	21.00	72.0
35-49 YRS	3	6.67	96.3	0	0.0	0.0
50-64 YRS	0	0.0	0.0	4	7.50	17.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	38	9.61	111.9	51	2.12	0.8
20-34 YRS	143	6.29	147.3	5	5.20	14.7
35-49 YRS	19	11.32	251.3	4	3.75	2.9
50-64 YRS	0	0.0	0.0	8	5.25	13.9
65+ YRS	0	0.0	0.0	1	1.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	17	15.82	153.2	7	3.00	5.7
20-34 YRS	14	14.64	105.8	0	0.0	0.0
35-49 YRS	6	21.17	151.8	0	0.0	0.0
50-64 YRS	0	0.0	0.0	4	16.25	740.9
65+ YRS	0	0.0	0.0	4	8.25	2.9
B. OPERATED						
00-19 YRS	29	30.72	523.2	50	3.02	2.8
20-34 YRS	35	17.51	210.3	0	0.0	0.0
35-49 YRS	10	27.10	672.3	4	4.00	1.3
50-64 YRS	1	89.00	0.0	5	6.80	27.2
65+ YRS	2	29.00	0.0	6	6.50	7.9
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	90	10.63	72.5	10	8.50	64.7
B. OPERATED	200	7.39	152.0	69	2.78	4.6
2. MULTIPLE DX						
A. NOT OPERATED	37	16.24	132.5	15	7.93	193.8
B. OPERATED	77	24.96	459.7	65	3.69	6.4
1. SINGLE DX	290	8.40	129.2	79	3.51	15.2
2. MULTIPLE DX	114	22.13	368.2	80	4.49	42.3
A. NOT OPERATED	127	12.27	95.6	25	8.16	137.4
B. OPERATED	277	12.28	298.3	134	3.22	5.6
TOTAL 00-19 YRS	129	15.87	269.1	112	2.62	2.4
TOTAL 20-34 YRS	234	9.11	150.9	7	9.71	81.2
TOTAL 35-49 YRS	38	16.66	367.0	8	3.88	1.8
TOTAL 50-64 YRS	1	89.00	0.0	21	8.14	141.0
TOTAL 65+ YRS	2	29.00	0.0	11	6.64	9.1
GRAND TOTAL	404	12.27	234.2	159	4.00	28.9





## BALBOA

PAS\_CODE\_142

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	4	1.25	0.3
20-34 YRS	0	0.0	0.0	3	1.33	0.3
35-49 YRS	1	7.00	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	2	10.00	128.0
20-34 YRS	2	1.50	0.5	43	2.28	2.4
35-49 YRS	1	2.00	0.0	61	2.46	3.6
50-64 YRS	0	0.0	0.0	5	2.80	5.7
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	1	2.00	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	2	7.50	0.5
35-49 YRS	0	0.0	0.0	2	13.50	84.5
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	29.00	0.0	8	4.25	5.9
35-49 YRS	0	0.0	0.0	19	4.95	30.3
50-64 YRS	0	0.0	0.0	1	8.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	1	7.00	0.0	7	1.29	0.2
B. OPERATED	3	1.67	0.3	111	2.54	5.3
2. MULTIPLE DX						
A. NOT OPERATED	1	2.00	0.0	4	10.50	40.3
B. OPERATED	1	29.00	0.0	28	4.86	22.2
1. SINGLE DX	4	3.00	7.3	118	2.47	5.1
2. MULTIPLE DX	2	15.50	364.5	32	5.56	26.8
A. NOT OPERATED	2	4.50	12.5	11	4.64	33.9
B. OPERATED	4	8.50	187.0	139	3.01	9.4
TOTAL 00-19 YRS	1	2.00	0.0	6	4.17	46.2
TOTAL 20-34 YRS	3	10.67	252.3	56	2.70	4.0
TOTAL 35-49 YRS	2	4.50	12.5	82	3.30	14.1
TOTAL 50-64 YRS	0	0.0	0.0	6	3.67	9.1
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	6	7.17	119.0	150	3.13	11.2



## BALBOA

PAS\_CODE\_143

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	2	1.00	0.0
35-49 YRS	0	0.0	0.0	7	1.57	1.6
50-64 YRS	0	0.0	0.0	1	2.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	2	2.00	0.0
20-34 YRS	1	11.00	0.0	32	3.38	8.8
35-49 YRS	1	1.00	0.0	80	2.45	3.6
50-64 YRS	0	0.0	0.0	80	2.11	2.0
65+ YRS	0	0.0	0.0	6	5.67	81.1
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	2	1.00	0.0
20-34 YRS	0	0.0	0.0	2	10.50	0.5
35-49 YRS	0	0.0	0.0	3	6.33	22.3
50-64 YRS	0	0.0	0.0	4	8.00	42.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	3.00	0.0
20-34 YRS	0	0.0	0.0	9	5.33	7.5
35-49 YRS	2	1.00	0.0	23	4.48	14.2
50-64 YRS	0	0.0	0.0	7	4.14	19.1
65+ YRS	0	0.0	0.0	1	2.00	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	10	1.50	1.2
B. OPERATED	2	6.00	50.0	200	2.55	6.1
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	11	6.73	27.2
B. OPERATED	2	1.00	0.0	41	4.51	12.6
1. SINGLE DX	2	6.00	50.0	210	2.50	5.9
2. MULTIPLE DX	2	1.00	0.0	52	4.98	16.0
A. NOT OPERATED	0	0.0	0.0	21	4.24	21.3
B. OPERATED	4	3.50	25.0	241	2.89	7.7
TOTAL 00-19 YRS	0	0.0	0.0	5	1.80	0.7
TOTAL 20-34 YRS	1	11.00	0.0	45	3.98	10.5
TOTAL 35-49 YRS	3	1.00	0.0	113	2.91	6.9
TOTAL 50-64 YRS	0	0.0	0.0	92	2.52	6.1
TOTAL 65+ YRS	0	0.0	0.0	7	5.14	69.5
GRAND TOTAL	4	3.50	25.0	262	3.00	8.9



## BALBOA

PAS\_CODE\_153

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	1	3.00	0.0
20-34 YRS	0	0.0	0.0	9	1.00	0.5
35-49 YRS	0	0.0	0.0	1	2.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	8	1.75	0.2	40	1.27	0.3
20-34 YRS	15	2.47	5.0	177	1.48	1.7
35-49 YRS	0	0.0	0.0	15	1.53	1.3
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	8.00	0.0	2	1.00	2.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	5	2.20	0.2	4	22.50	1576.3
20-34 YRS	10	2.00	2.2	11	6.18	39.8
35-49 YRS	0	0.0	0.0	3	16.33	120.3
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	11	1.27	0.8
B. OPERATED	23	2.22	3.4	232	1.45	1.4
2. MULTIPLE DX						
A. NOT OPERATED	1	8.00	0.0	2	1.00	2.0
B. OPERATED	15	2.07	1.5	18	11.50	366.6
1. SINGLE DX	23	2.22	3.4	243	1.44	1.4
2. MULTIPLE DX	16	2.44	3.6	20	10.45	338.6
A. NOT OPERATED	1	8.00	0.0	13	1.23	0.9
B. OPERATED	38	2.16	2.6	250	2.17	33.1
TOTAL 00-19 YRS	13	1.92	0.2	45	3.20	145.0
TOTAL 20-34 YRS	26	2.50	4.9	199	1.71	4.7
TOTAL 35-49 YRS	0	0.0	0.0	19	3.89	45.0
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	39	2.31	3.4	263	2.13	31.6



## BALBOA

PAS\_CODE\_154

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	48	4.29	36.8
20-34 YRS	1	32.00	0.0	311	3.35	0.9
35-49 YRS	0	0.0	0.0	13	3.38	0.3
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	319	3.24	0.5
20-34 YRS	5	4.40	14.3	1346	3.34	1.9
35-49 YRS	0	0.0	0.0	54	3.61	1.2
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	1	3.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	6	4.67	7.9
20-34 YRS	0	0.0	0.0	14	6.07	61.9
35-49 YRS	0	0.0	0.0	4	8.00	64.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	21	4.86	11.2
20-34 YRS	2	15.00	392.0	98	5.38	8.7
35-49 YRS	0	0.0	0.0	7	4.57	2.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	1	32.00	0.0	372	3.48	5.6
B. OPERATED	5	4.40	14.3	1720	3.33	1.6
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	24	6.04	46.2
B. OPERATED	2	15.00	392.0	126	5.25	8.7
1. SINGLE DX	6	9.00	138.4	2092	3.36	2.3
2. MULTIPLE DX	2	15.00	392.0	150	5.37	14.5
A. NOT OPERATED	1	32.00	0.0	396	3.63	8.3
B. OPERATED	7	7.43	101.6	1846	3.46	2.4
TOTAL 00-19 YRS	0	0.0	0.0	394	3.47	5.7
TOTAL 20-34 YRS	8	10.50	162.6	1769	3.48	2.8
TOTAL 35-49 YRS	0	0.0	0.0	78	3.88	4.5
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	1	3.00	0.0
GRAND TOTAL	8	10.50	162.6	2242	3.49	3.4





## BALBOA

PAS\_CODE\_170

TYPE CF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	1	3.00	0.0
20-34 YRS	0	0.0	0.0	6	1.67	1.1
35-49 YRS	0	0.0	0.0	1	4.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	10	4.00	0.9
20-34 YRS	0	0.0	0.0	48	5.33	7.5
35-49 YRS	0	0.0	0.0	3	3.67	4.3
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	8	3.25	0.8
20-34 YRS	0	0.0	0.0	12	5.25	21.5
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	20	5.35	21.7
20-34 YRS	0	0.0	0.0	80	7.76	53.2
35-49 YRS	0	0.0	0.0	9	9.78	116.4
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	8	2.13	1.6
B. OPERATED	0	0.0	0.0	61	5.03	6.5
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	20	4.45	13.7
B. OPERATED	0	0.0	0.0	109	7.49	52.7
1. SINGLE DX	0	0.0	0.0	69	4.70	6.8
2. MULTIPLE DX	0	0.0	0.0	129	7.02	47.7
A. NOT OPERATED	0	0.0	0.0	28	3.79	11.2
B. OPERATED	0	0.0	0.0	170	6.61	37.4
TOTAL 00-19 YRS	0	0.0	0.0	39	4.51	12.0
TOTAL 20-34 YRS	0	0.0	0.0	146	6.51	35.5
TOTAL 35-49 YRS	0	0.0	0.0	13	7.92	86.7
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	0	0.0	0.0	198	6.21	34.6



## BALBOA

PAS\_CODE\_172

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE CF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	1040	5.13	40.6	44	5.86	26.7
20-34 YRS	383	6.53	53.0	6	10.50	269.9
35-49 YRS	3	13.00	12.0	4	4.00	7.3
50-64 YRS	0	0.0	0.0	7	17.00	376.0
65+ YRS	0	0.0	0.0	1	13.00	0.0
B. OPERATED						
00-19 YRS	23	20.39	152.8	26	4.77	12.3
20-34 YRS	24	20.71	182.8	6	5.00	13.6
35-49 YRS	3	8.00	148.0	6	8.00	16.8
50-64 YRS	0	0.0	0.0	7	9.86	172.1
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	198	9.54	142.0	14	6.21	53.6
20-34 YRS	61	13.20	350.5	3	5.00	9.0
35-49 YRS	5	29.80	106.7	5	11.40	25.3
50-64 YRS	1	41.00	0.0	3	5.33	0.3
65+ YRS	0	0.0	0.0	4	28.75	96.3
B. OPERATED						
00-19 YRS	8	31.88	570.4	8	7.13	60.4
20-34 YRS	13	32.46	421.9	4	17.75	174.9
35-49 YRS	1	12.00	0.0	2	25.50	40.5
50-64 YRS	0	0.0	0.0	4	13.25	114.3
65+ YRS	0	0.0	0.0	5	12.20	110.7
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	1426	5.52	44.4	62	7.56	92.8
B. OPERATED	50	19.80	169.6	45	6.02	37.9
2. MULTIPLE DX						
A. NOT OPERATED	265	10.88	200.0	29	10.00	102.2
B. OPERATED	22	31.32	449.9	23	12.74	111.6
1. SINGLE DX	1476	6.01	55.2	107	6.92	69.7
2. MULTIPLE DX	287	12.45	247.3	52	11.21	106.1
A. NOT OPERATED	1691	6.36	72.4	91	8.34	96.0
B. OPERATED	72	23.32	278.6	68	8.29	71.8
TOTAL 00-19 YRS	1269	6.27	71.6	92	5.72	28.8
TOTAL 20-34 YRS	481	8.78	134.1	19	9.42	134.5
TOTAL 35-49 YRS	12	18.67	168.1	17	10.12	56.6
TOTAL 50-64 YRS	1	41.00	0.0	21	12.24	158.9
TOTAL 65+ YRS	0	0.0	0.0	10	18.90	153.2
GRAND TOTAL	1763	7.06	92.0	159	8.32	85.1



## BALBOA

PAS\_CODE\_174

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	78	18.36	431.7	15	5.53	76.0
20-34 YRS	64	15.31	283.1	8	6.38	26.6
35-49 YRS	3	30.33	17.3	8	18.50	393.1
50-64 YRS	0	0.0	0.0	10	15.20	191.1
65+ YRS	0	0.0	0.0	2	10.00	8.0
B. OPERATED						
00-19 YRS	16	18.13	175.7	19	5.74	52.1
20-34 YRS	29	13.31	128.2	4	4.00	6.0
35-49 YRS	8	7.63	49.4	17	10.00	508.4
50-64 YRS	0	0.0	0.0	34	3.62	15.9
65+ YRS	0	0.0	0.0	15	2.67	2.4
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	100	22.83	525.9	17	5.94	27.8
20-34 YRS	59	23.88	454.4	15	18.07	633.2
35-49 YRS	16	29.00	697.3	12	9.42	41.7
50-64 YRS	0	0.0	0.0	7	12.71	82.9
65+ YRS	0	0.0	0.0	14	16.93	125.5
B. OPERATED						
00-19 YRS	19	47.00	611.9	10	3.80	2.0
20-34 YRS	42	25.64	381.8	6	4.83	20.2
35-49 YRS	12	31.67	555.2	14	15.00	756.3
50-64 YRS	0	0.0	0.0	13	17.23	117.5
65+ YRS	0	0.0	0.0	8	22.13	531.8
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	165	17.02	375.2	43	10.56	165.9
B. OPERATED	53	13.91	138.1	89	5.15	116.3
2. MULTIPLE DX						
A. NOT OPERATED	175	23.76	513.8	65	12.48	211.8
B. OPERATED	73	32.19	538.2	51	13.29	345.6
1. SINGLE DX	218	16.27	318.5	132	6.91	137.8
2. MULTIPLE DX	248	26.25	533.6	116	12.84	263.3
A. NOT OPERATED	340	20.50	456.7	108	11.71	192.7
B. OPERATED	126	24.50	449.6	140	8.11	213.4
TOTAL 00-19 YRS	213	23.02	546.3	61	5.43	41.6
TOTAL 20-34 YRS	214	19.43	349.3	33	11.12	330.7
TOTAL 35-49 YRS	39	25.54	532.3	51	12.57	435.5
TOTAL 50-64 YRS	0	0.0	0.0	64	9.19	103.1
TOTAL 65+ YRS	0	0.0	0.0	39	12.15	207.1
GRAND TOTAL	466	21.58	456.9	248	9.68	206.8



## BALBOA

PAS\_CODE\_188

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	21	16.29	446.9	30	4.53	19.5
20-34 YRS	28	16.29	395.4	3	5.00	9.0
35-49 YRS	1	52.00	0.0	1	14.00	0.0
50-64 YRS	0	0.0	0.0	3	11.67	32.3
65+ YRS	0	0.0	0.0	1	4.00	0.0
B. OPERATED						
00-19 YRS	6	37.33	211.9	57	11.33	221.8
20-34 YRS	13	24.85	604.0	43	2.47	3.9
35-49 YRS	1	51.00	0.0	13	6.31	40.6
50-64 YRS	1	4.00	0.0	4	15.75	112.9
65+ YRS	0	0.0	0.0	1	37.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	18	16.94	242.9	49	6.16	107.4
20-34 YRS	23	24.30	529.8	3	2.33	5.3
35-49 YRS	12	19.92	478.3	4	8.50	0.3
50-64 YRS	2	1.00	2.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	6	56.50	974.3	35	4.66	10.6
20-34 YRS	6	40.33	1160.3	6	4.17	6.6
35-49 YRS	2	55.00	1458.0	1	1.00	0.0
50-64 YRS	0	0.0	0.0	1	9.00	0.0
65+ YRS	0	0.0	0.0	1	10.00	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	50	17.00	425.8	38	5.37	23.4
B. OPERATED	21	28.67	502.7	118	7.92	140.8
2. MULTIPLE DX						
A. NOT OPERATED	55	20.09	414.1	56	6.13	95.1
B. OPERATED	14	49.36	999.2	44	4.73	10.6
1. SINGLE DX	71	20.45	470.5	156	7.29	113.1
2. MULTIPLE DX	69	26.03	660.4	100	5.51	57.9
A. NOT OPERATED	105	18.62	418.0	94	5.82	65.7
B. OPERATED	35	36.94	783.5	162	7.05	107.2
TOTAL 00-19 YRS	51	23.73	570.9	171	7.29	117.5
TOTAL 20-34 YRS	70	22.57	558.2	55	2.78	4.8
TOTAL 35-49 YRS	16	28.25	671.0	19	6.89	32.7
TOTAL 50-64 YRS	3	2.00	4.0	8	13.38	64.8
TOTAL 65+ YRS	0	0.0	0.0	3	17.00	309.0
GRAND TOTAL	140	23.20	567.8	256	6.60	92.0





## BALBOA

PAS\_CODE\_189

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	13	4.85	8.8
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	2	21.50	364.5
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	89	6.16	63.1
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	81	9.67	252.9
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	13	4.85	8.8
B. OPERATED	0	0.0	0.0	2	21.50	364.5
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	89	6.16	63.1
B. OPERATED	0	0.0	0.0	81	9.67	252.9
1. SINGLE DX	0	0.0	0.0	15	7.07	67.9
2. MULTIPLE DX	0	0.0	0.0	170	7.83	155.6
A. NOT OPERATED	0	0.0	0.0	102	5.99	56.2
B. OPERATED	0	0.0	0.0	83	9.95	254.5
TOTAL 00-19 YRS	0	0.0	0.0	185	7.77	148.2
TOTAL 20-34 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 35-49 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	0	0.0	0.0	185	7.77	148.2



## BALBOA

PAS\_CODE\_190

TYPE CF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT CPERATED						
00-19 YRS	138	13.04	357.3	149	3.87	19.2
20-34 YRS	180	13.99	374.2	60	5.40	66.4
35-49 YRS	29	8.62	150.4	47	8.13	121.2
50-64 YRS	4	6.00	50.7	49	9.18	129.7
65+ YRS	0	0.0	0.0	34	12.94	275.3
B. CPERATED						
00-19 YRS	18	31.33	835.9	25	4.52	52.0
20-34 YRS	28	22.43	454.9	52	3.62	8.0
35-49 YRS	8	15.50	350.6	41	6.59	69.9
50-64 YRS	1	2.00	0.0	31	6.71	64.1
65+ YRS	0	0.0	0.0	11	8.00	53.0
2. MULTIPLE DX						
A. NCT OPERATED						
00-19 YRS	111	21.34	538.8	157	5.71	45.0
20-34 YRS	113	22.88	442.2	52	5.81	61.0
35-49 YRS	67	26.18	646.7	110	8.34	61.7
50-64 YRS	6	27.67	609.5	131	13.37	184.5
65+ YRS	0	0.0	0.0	79	12.58	186.4
B. CPERATED						
00-19 YRS	21	40.14	425.3	41	10.07	214.1
20-34 YRS	60	33.63	707.9	49	7.08	75.5
35-49 YRS	15	26.27	599.9	57	13.42	221.5
50-64 YRS	3	23.67	226.3	56	14.46	252.0
65+ YRS	0	0.0	0.0	37	17.03	503.3
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	351	13.08	346.4	339	6.41	92.0
B. OPERATED	55	23.96	574.9	160	5.42	45.8
2. MULTIPLE DX						
A. NOT OPERATED	297	23.15	525.8	529	9.19	115.8
B. CPERATED	99	33.60	623.8	240	12.35	248.0
1. SINGLE DX	406	14.55	389.9	499	6.09	77.3
2. MULTIPLE DX	396	25.76	569.3	769	10.18	158.9
A. NCT OPERATED	648	17.69	453.1	868	8.10	108.2
B. OPERATED	154	30.16	623.9	400	9.58	178.3
TOTAL 00-19 YRS	288	19.36	517.5	372	5.38	56.4
TOTAL 20-34 YRS	381	20.34	498.1	213	5.45	53.7
TOTAL 35-49 YRS	119	21.19	547.8	255	9.15	115.7
TOTAL 50-64 YRS	14	18.79	394.8	267	12.06	179.8
TOTAL 65+ YRS	0	0.0	0.0	161	13.37	269.6
GRAND TOTAL	802	20.09	509.3	1268	8.57	130.7



## BALBOA

PAS\_CODE\_197

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	71	22.65	463.7	42	6.83	93.4
20-34 YRS	83	21.94	663.1	6	10.83	55.0
35-49 YRS	8	15.75	391.4	1	2.00	0.0
50-64 YRS	0	0.0	0.0	5	5.80	21.2
65+ YRS	0	0.0	0.0	1	3.00	0.0
B. OPERATED						
00-19 YRS	5	45.80	473.2	28	15.04	209.0
20-34 YRS	39	43.21	790.5	8	17.00	379.7
35-49 YRS	7	35.14	869.5	9	11.00	66.8
50-64 YRS	1	83.00	0.0	5	13.60	17.8
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	19	35.53	1037.9	14	8.64	50.7
20-34 YRS	51	31.84	749.5	1	1.00	0.0
35-49 YRS	7	12.57	88.6	1	8.00	0.0
50-64 YRS	0	0.0	0.0	2	16.00	512.0
65+ YRS	0	0.0	0.0	2	32.50	1104.5
B. OPERATED						
00-19 YRS	8	61.63	341.1	11	17.18	371.8
20-34 YRS	24	51.67	901.0	8	23.63	212.6
35-49 YRS	9	45.22	923.4	5	22.20	308.7
50-64 YRS	0	0.0	0.0	3	43.00	108.0
65+ YRS	0	0.0	0.0	1	78.00	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	162	21.94	558.5	55	7.02	80.1
B. OPERATED	52	43.13	769.0	50	14.48	185.3
2. MULTIPLE DX						
A. NOT OPERATED	77	31.00	782.8	20	11.35	180.8
B. OPERATED	41	52.20	791.4	28	24.86	413.5
1. SINGLE DX	214	27.09	689.2	105	10.57	142.9
2. MULTIPLE DX	118	38.36	881.7	48	19.23	355.9
A. NOT OPERATED	239	24.86	645.7	75	8.17	108.6
B. OPERATED	93	47.13	790.8	78	18.21	288.0
TOTAL 00-19 YRS	103	29.17	676.7	95	10.72	165.2
TOTAL 20-34 YRS	197	32.34	842.7	23	17.00	238.9
TOTAL 35-49 YRS	31	27.97	725.6	16	13.75	157.7
TOTAL 50-64 YRS	1	83.00	0.0	15	17.20	257.0
TOTAL 65+ YRS	0	0.0	0.0	4	36.50	1327.0
GRAND TOTAL	332	31.10	784.4	153	13.29	224.1



## BALBOA

PAS\_CODE\_200

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	56	4.07	60.4	127	1.93	51.0
20-34 YRS	83	5.19	197.7	8	3.38	32.8
35-49 YRS	4	4.25	61.6	6	1.67	0.3
50-64 YRS	0	0.0	0.0	6	1.50	1.1
65+ YRS	0	0.0	0.0	2	2.00	0.0
B. OPERATED						
00-19 YRS	1	2.00	0.0	3	30.00	513.0
20-34 YRS	2	17.00	578.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	32	14.66	375.7	36	2.00	9.1
20-34 YRS	55	20.73	442.8	5	3.60	14.3
35-49 YRS	2	21.00	800.0	4	1.75	2.9
50-64 YRS	0	0.0	0.0	5	5.20	26.7
65+ YRS	0	0.0	0.0	1	26.00	0.0
B. OPERATED						
00-19 YRS	13	20.08	327.7	12	16.08	763.9
20-34 YRS	32	31.56	763.5	2	13.00	288.0
35-49 YRS	3	27.67	1977.3	2	3.00	0.0
50-64 YRS	0	0.0	0.0	1	2.00	0.0
65+ YRS	0	0.0	0.0	1	3.00	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	143	4.73	139.1	149	1.98	45.1
B. OPERATED	3	12.00	364.0	3	30.00	513.0
2. MULTIPLE DX						
A. NOT OPERATED	89	18.55	421.8	51	2.92	21.8
B. OPERATED	48	28.21	697.4	18	12.78	542.7
1. SINGLE DX	146	4.88	142.4	152	2.53	66.3
2. MULTIPLE DX	137	21.93	535.3	69	5.49	170.7
A. NCT OPERATED	232	10.03	291.6	200	2.22	39.2
B. OPERATED	51	27.25	684.9	21	15.24	550.7
TOTAL 00-19 YRS	102	9.41	226.8	178	3.37	116.2
TOTAL 20-34 YRS	172	15.20	485.0	15	4.73	52.4
TOTAL 35-49 YRS	9	15.78	743.7	12	1.92	1.2
TOTAL 50-64 YRS	0	0.0	0.0	12	3.08	13.7
TOTAL 65+ YRS	0	0.0	0.0	4	8.25	140.3
GRAND TOTAL	283	13.13	404.3	221	3.46	100.2





## BALBOA

PAS\_CODE\_202

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NCT OPERATED						
00-19 YRS	97	12.69	296.4	37	4.84	19.4
20-34 YRS	103	11.83	181.4	7	2.86	9.1
35-49 YRS	9	14.00	413.3	4	8.25	86.9
50-64 YRS	0	0.0	0.0	4	2.50	9.7
65+ YRS	0	0.0	0.0	4	6.75	38.3
B. OPERATED						
00-19 YRS	24	26.29	440.9	57	4.26	36.4
20-34 YRS	51	24.45	609.7	13	3.77	18.2
35-49 YRS	8	15.75	301.1	22	4.36	24.3
50-64 YRS	1	2.00	0.0	15	1.80	2.5
65+ YRS	0	0.0	0.0	3	3.00	7.0
2. MULTIPLE DX						
A. NCT OPERATED						
00-19 YRS	59	17.22	455.5	38	4.26	21.8
20-34 YRS	104	17.35	387.7	19	3.26	12.0
35-49 YRS	11	22.27	472.6	11	16.27	649.0
50-64 YRS	0	0.0	0.0	9	7.56	88.0
65+ YRS	0	0.0	0.0	2	6.50	24.5
B. OPERATED						
00-19 YRS	34	30.06	444.1	29	6.76	59.8
20-34 YRS	111	31.93	782.1	11	22.36	335.9
35-49 YRS	16	17.88	165.6	10	16.70	676.7
50-64 YRS	0	0.0	0.0	11	5.00	78.6
65+ YRS	0	0.0	0.0	4	6.75	26.3
SUB TOTALS:						
1. SINGLE DX						
A. NCT OPERATED	209	12.32	241.9	56	4.80	23.1
B. OPERATED	84	23.88	528.9	110	3.85	26.6
2. MULTIPLE DX						
A. NCT OPERATED	174	17.61	412.3	79	6.13	124.1
B. OPERATED	161	30.14	662.0	65	10.63	229.9
1. SINGLE DX	293	15.63	350.1	166	4.17	25.5
2. MULTIPLE DX	335	23.63	570.0	144	8.16	175.6
A. NCT OPERATED	383	14.73	325.4	135	5.58	82.1
B. OPERATED	245	27.99	622.9	175	6.37	112.0
TOTAL 00-19 YRS	214	18.22	417.9	161	4.84	33.5
TOTAL 20-34 YRS	369	21.17	540.4	50	7.54	141.8
TOTAL 35-49 YRS	44	17.80	302.5	47	10.11	324.9
TOTAL 50-64 YRS	1	2.00	0.0	39	4.10	46.3
TOTAL 65+ YRS	0	0.0	0.0	13	5.85	22.0
GRAND TOTAL	628	19.90	482.6	310	6.03	98.8



## BALBOA

PAS\_CODE\_210

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	350	2.50	32.5	19	2.42	2.7
20-34 YRS	208	2.66	27.0	50	1.88	11.9
35-49 YRS	2	4.00	2.0	2	32.50	420.5
50-64 YRS	1	1.00	0.0	3	3.67	8.3
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	1	18.00	0.0	13	3.54	8.3
20-34 YRS	0	0.0	0.0	67	2.82	1.4
35-49 YRS	0	0.0	0.0	6	6.83	60.6
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	1	2.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	9	11.67	106.8	28	3.04	9.0
20-34 YRS	24	34.13	880.1	84	5.32	74.5
35-49 YRS	7	35.14	602.5	15	9.33	56.4
50-64 YRS	1	15.00	0.0	7	15.86	119.8
65+ YRS	0	0.0	0.0	2	13.50	12.5
B. OPERATED						
00-19 YRS	4	25.75	604.9	5	14.40	282.3
20-34 YRS	18	32.89	875.0	55	4.62	1.6
35-49 YRS	8	32.50	594.9	11	4.64	3.7
50-64 YRS	1	38.00	0.0	7	13.57	96.3
65+ YRS	0	0.0	0.0	1	40.00	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	561	2.56	30.2	74	2.92	39.4
B. OPERATED	1	18.00	0.0	87	3.20	6.8
2. MULTIPLE DX						
A. NOT OPERATED	41	28.90	712.6	136	5.96	68.1
B. OPERATED	31	32.03	702.1	79	6.48	49.3
1. SINGLE DX	562	2.59	30.6	161	3.07	21.7
2. MULTIPLE DX	72	30.25	700.6	215	6.15	61.0
A. NOT OPERATED	602	4.36	119.7	210	4.89	59.9
B. OPERATED	32	31.59	685.6	166	4.76	29.6
TOTAL 00-19 YRS	364	3.03	47.0	65	3.83	33.4
TOTAL 20-34 YRS	250	7.86	297.9	256	3.84	29.1
TOTAL 35-49 YRS	17	30.24	585.4	34	8.74	87.6
TOTAL 50-64 YRS	3	18.00	349.0	17	12.76	102.1
TOTAL 65+ YRS	0	0.0	0.0	4	17.25	263.6
GRAND TOTAL	634	5.73	182.9	376	4.83	46.4



## BALBOA

PAS\_CODE\_212

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	1145	3.13	1.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	1123	3.17	0.9
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	134	3.77	7.2
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	133	5.02	56.5
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	1145	3.13	1.0
B. OPERATED	0	0.0	0.0	1123	3.17	0.9
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	134	3.77	7.2
B. OPERATED	0	0.0	0.0	133	5.02	56.5
1. SINGLE DX	0	0.0	0.0	2268	3.15	1.0
2. MULTIPLE DX	0	0.0	0.0	267	4.39	32.0
A. NOT OPERATED	0	0.0	0.0	1279	3.19	1.7
B. OPERATED	0	0.0	0.0	1256	3.36	7.1
TOTAL 00-19 YRS	0	0.0	0.0	2535	3.28	4.4
TOTAL 20-34 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 35-49 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	0	0.0	0.0	2535	3.28	4.4



## BALBOA

PAS\_CODE\_213

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	94	5.76	6.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	106	5.53	1.9
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	9	5.67	2.5
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	12	4.92	1.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	94	5.76	6.0
B. OPERATED	0	0.0	0.0	106	5.53	1.9
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	9	5.67	2.5
B. OPERATED	0	0.0	0.0	12	4.92	1.0
1. SINGLE DX	0	0.0	0.0	200	5.63	3.8
2. MULTIPLE DX	0	0.0	0.0	21	5.24	1.7
A. NOT OPERATED	0	0.0	0.0	103	5.75	5.7
B. OPERATED	0	0.0	0.0	118	5.47	1.8
TOTAL 00-19 YRS	0	0.0	0.0	221	5.60	3.6
TOTAL 20-34 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 35-49 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	0	0.0	0.0	221	5.60	3.6





OAK KNOLL

PAS\_CODE\_\_37

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	1	5.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	1	16.00	0.0
35-49 YRS	0	0.0	0.0	1	3.00	0.0
50-64 YRS	0	0.0	0.0	3	14.00	147.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	1	17.00	0.0	31	11.48	209.2
50-64 YRS	0	0.0	0.0	51	12.33	188.5
65+ YRS	0	0.0	0.0	17	14.35	314.7
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	4	48.25	648.3	2	5.50	24.5
35-49 YRS	0	0.0	0.0	7	23.71	398.2
50-64 YRS	0	0.0	0.0	11	33.91	590.5
65+ YRS	0	0.0	0.0	11	33.64	523.1
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	1	5.00	0.0
B. OPERATED	0	0.0	0.0	5	12.20	100.7
2. MULTIPLE DX						
A. NOT OPERATED	1	17.00	0.0	99	12.41	212.5
B. OPERATED	4	48.25	648.3	31	29.68	511.2
1. SINGLE DX	0	0.0	0.0	6	11.00	89.2
2. MULTIPLE DX	5	42.00	681.5	130	16.53	334.9
A. NOT OPERATED	1	17.00	0.0	100	12.34	210.9
B. OPERATED	4	48.25	648.3	36	27.25	487.3
TOTAL 00-19 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 20-34 YRS	4	48.25	648.3	3	9.00	49.0
TOTAL 35-49 YRS	1	17.00	0.0	39	13.46	253.5
TOTAL 50-64 YRS	0	0.0	0.0	66	15.89	307.2
TOTAL 65+ YRS	0	0.0	0.0	28	21.93	472.2
GRAND TOTAL	5	42.00	681.5	136	16.29	324.6



# OAK KNOLL

PAS\_CODE\_\_45

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE CF PATIENT	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	7	6.86	6.5
50-64 YRS	0	0.0	0.0	3	7.00	1.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	6	4.33	3.9
35-49 YRS	0	0.0	0.0	19	2.79	3.4
50-64 YRS	0	0.0	0.0	8	7.25	14.8
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	3.00	0.0	7	7.00	13.7
35-49 YRS	2	31.50	924.5	57	6.11	21.3
50-64 YRS	0	0.0	0.0	14	7.00	15.8
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	0	0.0	0.0
B. OPERATED	0	0.0	0.0	10	6.90	4.5
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	33	4.15	9.3
B. OPERATED	3	22.00	733.0	78	6.35	19.4
1. SINGLE DX	0	0.0	0.0	10	6.90	4.5
2. MULTIPLE DX	3	22.00	733.0	111	5.69	17.3
A. NOT OPERATED	0	0.0	0.0	33	4.15	9.3
B. OPERATED	3	22.00	733.0	88	6.41	17.7
TOTAL 00-19 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 20-34 YRS	1	3.00	0.0	13	5.77	10.4
TOTAL 35-49 YRS	2	31.50	924.5	83	5.41	17.9
TOTAL 50-64 YRS	0	0.0	0.0	25	7.08	13.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	3	22.00	733.0	121	5.79	16.3



# OAK KNOLL

PAS\_CODE\_\_58

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	3	5.33	16.3
20-34 YRS	7	34.14	693.8	1	7.00	0.0
35-49 YRS	3	27.00	148.0	2	1.50	0.5
50-64 YRS	0	0.0	0.0	3	9.00	37.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	15	7.67	30.2
20-34 YRS	10	26.60	415.8	25	9.64	152.8
35-49 YRS	9	40.44	337.0	36	8.31	40.5
50-64 YRS	1	8.00	0.0	74	13.30	259.1
65+ YRS	0	0.0	0.0	44	12.39	104.8
B. OPERATED						
00-19 YRS	0	0.0	0.0	2	5.00	2.0
20-34 YRS	0	0.0	0.0	19	7.16	57.3
35-49 YRS	1	25.00	0.0	7	8.57	86.0
50-64 YRS	0	0.0	0.0	7	16.29	222.2
65+ YRS	0	0.0	0.0	4	11.00	134.7
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	10	32.00	507.3	9	5.89	22.1
B. OPERATED	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED	20	31.90	418.3	194	11.26	159.7
B. OPERATED	1	25.00	0.0	39	9.33	99.1
1. SINGLE DX	10	32.00	507.3	9	5.89	22.1
2. MULTIPLE DX	21	31.57	399.7	233	10.94	149.6
A. NOT OPERATED	30	31.93	431.5	203	11.02	154.7
B. OPERATED	1	25.00	0.0	39	9.33	99.1
TOTAL 00-19 YRS	0	0.0	0.0	20	7.05	25.3
TOTAL 20-34 YRS	17	29.71	508.7	45	8.53	130.2
TOTAL 35-49 YRS	13	36.15	294.5	45	8.04	46.0
TOTAL 50-64 YRS	1	8.00	0.0	84	13.39	246.2
TOTAL 65+ YRS	0	0.0	0.0	48	12.27	104.6
GRAND TOTAL	31	31.71	418.7	242	10.75	145.7



# OAK KNOLL

PAS\_CODE\_\_63

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	2	9.00	0.0
20-34 YRS	1	12.00	0.0	1	2.00	0.0
35-49 YRS	1	14.00	0.0	2	9.00	72.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	1	2.00	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	36.00	0.0
20-34 YRS	2	3.00	2.0	1	14.00	0.0
35-49 YRS	0	0.0	0.0	1	4.00	0.0
50-64 YRS	0	0.0	0.0	2	9.50	0.5
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	1	29.00	0.0	12	10.92	101.7
20-34 YRS	28	30.46	553.7	11	9.82	34.6
35-49 YRS	14	36.21	947.9	30	10.80	47.7
50-64 YRS	2	6.50	0.5	53	9.04	34.2
65+ YRS	0	0.0	0.0	21	15.90	135.3
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	10.00	0.0
20-34 YRS	1	82.00	0.0	7	9.57	74.0
35-49 YRS	0	0.0	0.0	2	7.00	2.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	2	19.00	162.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	2	13.00	2.0	6	6.67	27.5
B. OPERATED	2	3.00	2.0	5	14.60	155.8
2. MULTIPLE DX						
A. NOT OPERATED	45	31.16	656.0	127	10.83	63.9
B. OPERATED	1	82.00	0.0	12	10.75	71.1
1. SINGLE DX	4	8.00	34.7	11	10.27	93.2
2. MULTIPLE DX	46	32.26	697.7	139	10.83	64.0
A. NOT OPERATED	47	30.38	641.3	133	10.65	62.8
B. OPERATED	3	29.33	2081.3	17	11.88	91.1
TOTAL 00-19 YRS	1	29.00	0.0	16	12.19	115.4
TOTAL 20-34 YRS	32	29.78	627.2	20	9.55	45.6
TOTAL 35-49 YRS	15	34.73	913.1	35	10.29	45.0
TOTAL 50-64 YRS	2	6.50	0.5	55	9.05	32.9
TOTAL 65+ YRS	0	0.0	0.0	24	15.58	133.8
GRAND TOTAL	50	30.32	687.0	150	10.79	65.6





# OAK KNOLL

PAS\_CODE\_\_70

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PAT.	AVG. STAY	VAR.	TOTAL PAT.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	100	15.78	323.2	2	25.00	352.0
20-34 YRS	136	17.58	296.6	4	19.75	231.6
35-49 YRS	2	56.50	2964.5	3	14.00	273.0
50-64 YRS	0	0.0	0.0	1	25.00	0.0
65+ YRS	0	0.0	0.0	1	2.00	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	24.00	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	1	2.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	104	21.68	482.4	4	14.25	302.9
20-34 YRS	140	28.55	533.2	13	8.00	73.8
35-49 YRS	3	56.00	819.0	7	16.57	348.3
50-64 YRS	0	0.0	0.0	5	11.20	182.2
65+ YRS	0	0.0	0.0	2	6.00	2.0
B. OPERATED						
00-19 YRS	3	41.33	1720.3	0	0.0	0.0
20-34 YRS	5	45.40	380.8	1	32.00	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	2	3.00	0.0
65+ YRS	0	0.0	0.0	1	15.00	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	238	17.15	330.4	11	18.00	209.6
B. OPERATED	1	24.00	0.0	1	2.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED	247	25.99	532.4	31	11.13	168.0
B. OPERATED	8	43.88	713.6	4	13.25	188.3
1. SINGLE DX	239	17.18	329.2	12	16.67	211.9
2. MULTIPLE DX	255	26.55	545.1	35	11.37	165.4
A. NOT OPERATED	485	21.65	452.0	42	12.93	183.4
B. OPERATED	9	41.67	668.3	5	11.00	166.5
TOTAL 00-19 YRS	207	19.12	429.1	6	17.83	291.0
TOTAL 20-34 YRS	282	23.54	449.8	18	11.94	142.9
TOTAL 35-49 YRS	5	56.20	1150.7	10	15.80	294.4
TOTAL 50-64 YRS	0	0.0	0.0	9	9.89	140.4
TOTAL 65+ YRS	0	0.0	0.0	4	7.25	30.9
GRAND TOTAL	494	22.02	461.8	47	12.72	178.3



# OAK KNOLL

PAS\_CODE\_\_72

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	17	8.76	105.1	3	20.33	344.3
20-34 YRS	55	15.84	190.9	11	6.27	139.6
35-49 YRS	7	11.00	71.0	1	36.00	0.0
50-64 YRS	1	22.00	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	1	5.00	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	33	19.30	382.3	11	8.82	80.4
20-34 YRS	67	30.97	584.2	9	16.11	331.6
35-49 YRS	3	56.67	276.3	6	10.33	141.9
50-64 YRS	0	0.0	0.0	7	15.86	509.8
65+ YRS	0	0.0	0.0	11	16.55	754.5
B. OPERATED						
00-19 YRS	1	53.00	0.0	1	2.00	0.0
20-34 YRS	4	35.00	746.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	1	8.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	2	11.50	24.5
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	80	13.99	167.0	16	10.69	216.8
B. OPERATED	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED	103	27.98	557.8	44	13.57	355.2
B. OPERATED	5	38.60	624.3	4	8.25	28.3
1. SINGLE DX	80	13.99	167.0	16	10.69	216.8
2. MULTIPLE DX	108	28.47	560.1	48	13.13	329.0
A. NOT OPERATED	183	21.86	433.6	60	12.80	315.6
B. OPERATED	5	38.60	624.3	4	8.25	28.3
TOTAL 00-19 YRS	51	16.45	330.5	15	10.67	134.7
TOTAL 20-34 YRS	126	24.49	467.9	20	10.70	238.3
TOTAL 35-49 YRS	10	24.70	595.3	8	13.25	186.5
TOTAL 50-64 YRS	1	22.00	0.0	7	15.86	509.8
TOTAL 65+ YRS	0	0.0	0.0	14	15.00	593.8
GRAND TOTAL	188	22.31	442.6	64	12.52	298.2



# OAK KNOLL

PAS\_CODE\_\_79

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	1	3.00	0.0	2	1.00	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	1	2.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	85	2.02	0.1
20-34 YRS	8	3.38	2.0	4	2.25	0.3
35-49 YRS	1	6.00	0.0	4	2.25	0.3
50-64 YRS	0	0.0	0.0	1	2.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	7	3.71	24.9
20-34 YRS	6	19.17	348.6	2	3.00	2.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	1	6.00	0.0
65+ YRS	0	0.0	0.0	1	11.00	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	20	2.95	4.4
20-34 YRS	3	15.33	184.3	6	2.00	0.0
35-49 YRS	0	0.0	0.0	1	3.00	0.0
50-64 YRS	0	0.0	0.0	1	2.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	1	3.00	0.0	3	1.33	0.3
B. OPERATED	9	3.67	2.5	94	2.04	0.1
2. MULTIPLE DX						
A. NOT OPERATED	6	19.17	348.6	11	4.45	20.5
B. OPERATED	3	15.33	184.3	28	2.71	3.2
1. SINGLE DX	10	3.60	2.3	97	2.02	0.1
2. MULTIPLE DX	9	17.89	267.6	39	3.21	8.3
A. NOT OPERATED	7	16.86	327.8	14	3.79	17.6
B. OPERATED	12	6.58	63.2	122	2.20	0.9
TOTAL 00-19 YRS	1	3.00	0.0	114	2.27	2.4
TOTAL 20-34 YRS	17	11.06	190.4	12	2.25	0.4
TOTAL 35-49 YRS	1	6.00	0.0	6	2.33	0.3
TOTAL 50-64 YRS	0	0.0	0.0	3	3.33	5.3
TOTAL 65+ YRS	0	0.0	0.0	1	11.00	0.0
GRAND TOTAL	19	10.37	173.8	136	2.36	2.7



# OAK KNOLL

PAS\_CODE\_\_84

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	4	3.75	8.3
20-34 YRS	1	13.00	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	18	2.06	0.2
20-34 YRS	2	45.50	544.5	2	2.00	0.0
35-49 YRS	0	0.0	0.0	1	3.00	0.0
50-64 YRS	0	0.0	0.0	2	2.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	1	23.00	0.0	35	3.91	22.4
20-34 YRS	6	5.83	21.4	1	12.00	0.0
35-49 YRS	1	36.00	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	2	46.00	2048.0	3	2.34	2.1
20-34 YRS	2	10.50	24.5	4	3.50	0.3
35-49 YRS	0	0.0	0.0	1	3.00	0.0
50-64 YRS	0	0.0	0.0	2	6.50	4.5
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	1	13.00	0.0	4	3.75	8.3
B. OPERATED	2	45.50	544.5	23	2.09	0.2
2. MULTIPLE DX						
A. NOT OPERATED	8	11.75	147.4	36	4.14	23.6
B. OPERATED	4	28.25	1110.9	90	2.49	2.4
1. SINGLE DX	3	34.67	624.3	27	2.33	1.5
2. MULTIPLE DX	12	17.25	462.8	126	2.96	8.9
A. NOT OPERATED	9	11.89	129.1	40	4.10	21.8
B. OPERATED	6	34.00	854.8	113	2.41	2.0
TOTAL 00-19 YRS	3	38.33	1200.3	140	2.74	7.4
TOTAL 20-34 YRS	11	14.55	306.3	7	4.29	12.2
TOTAL 35-49 YRS	1	36.00	0.0	2	3.00	0.0
TOTAL 50-64 YRS	0	0.0	0.0	4	4.25	8.3
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	15	20.73	504.8	153	2.85	7.6





OAK KNOLL

PAS\_CODE\_\_89

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	1	8.00	0.0
20-34 YRS	3	11.33	34.3	0	0.0	0.0
35-49 YRS	3	21.33	224.3	0	0.0	0.0
50-64 YRS	0	0.0	0.0	3	5.67	10.3
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	1	15.00	0.0
35-49 YRS	0	0.0	0.0	2	2.50	0.5
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	5	11.80	73.7
20-34 YRS	15	28.93	500.5	6	18.00	710.8
35-49 YRS	28	35.07	875.8	70	10.07	74.6
50-64 YRS	3	25.67	1045.3	106	8.95	55.3
65+ YRS	0	0.0	0.0	49	12.08	195.3
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	9.00	0.0
20-34 YRS	0	0.0	0.0	11	7.18	25.2
35-49 YRS	4	49.00	818.7	9	16.89	272.6
50-64 YRS	1	6.00	0.0	14	8.43	25.3
65+ YRS	0	0.0	0.0	6	19.67	109.9
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	6	16.33	133.5	4	6.25	8.3
B. OPERATED	0	0.0	0.0	3	6.67	52.3
2. MULTIPLE DX						
A. NOT OPERATED	46	32.46	739.1	236	10.22	106.0
B. OPERATED	5	40.40	983.8	41	11.61	107.9
1. SINGLE DX	6	16.33	133.5	7	6.43	21.6
2. MULTIPLE DX	51	33.24	749.6	277	10.43	106.1
A. NOT OPERATED	52	30.60	692.3	240	10.16	104.5
B. OPERATED	5	40.40	983.8	44	11.27	104.4
TOTAL 00-19 YRS	0	0.0	0.0	7	10.86	51.8
TOTAL 20-34 YRS	18	26.00	461.8	18	11.22	251.5
TOTAL 35-49 YRS	35	35.49	820.3	81	10.64	98.0
TOTAL 50-64 YRS	4	20.75	793.6	123	8.81	50.8
TOTAL 65+ YRS	0	0.0	0.0	55	12.91	189.5
GRAND TOTAL	57	31.46	708.6	284	10.33	104.3



# OAK KNOLL

PAS\_CODE\_\_91

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	3	5.67	30.3
50-64 YRS	0	0.0	0.0	8	7.88	29.0
65+ YRS	0	0.0	0.0	2	3.00	2.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	4	38.75	898.3	2	5.00	0.0
35-49 YRS	16	30.06	800.3	58	8.60	77.4
50-64 YRS	5	15.40	287.3	161	11.15	119.4
65+ YRS	0	0.0	0.0	156	10.78	105.7
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	73.00	0.0	0	0.0	0.0
35-49 YRS	3	67.33	840.3	1	3.00	0.0
50-64 YRS	0	0.0	0.0	8	22.00	419.7
65+ YRS	0	0.0	0.0	6	26.00	691.2
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	13	6.62	25.6
B. OPERATED	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED	25	28.52	715.3	377	10.57	107.0
B. OPERATED	4	68.75	568.3	15	22.33	489.2
1. SINGLE DX	0	0.0	0.0	13	6.62	25.6
2. MULTIPLE DX	29	34.07	873.3	392	11.02	125.5
A. NOT OPERATED	25	28.52	715.3	390	10.44	104.7
B. OPERATED	4	68.75	568.3	15	22.33	489.2
TOTAL 00-19 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 20-34 YRS	5	45.60	908.3	2	5.00	0.0
TOTAL 35-49 YRS	19	35.95	955.3	62	8.37	74.2
TOTAL 50-64 YRS	5	15.40	287.3	177	11.49	132.1
TOTAL 65+ YRS	0	0.0	0.0	164	11.24	130.8
GRAND TOTAL	29	34.07	873.3	405	10.88	122.9



# OAK KNOLL

PAS\_CODE\_\_93

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	1	43.00	0.0	0	0.0	0.0
20-34 YRS	4	18.00	311.3	3	3.67	12.3
35-49 YRS	3	4.00	13.0	4	1.25	0.3
50-64 YRS	1	2.00	0.0	5	7.40	148.8
65+ YRS	0	0.0	0.0	1	5.00	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	1	7.00	0.0
50-64 YRS	0	0.0	0.0	2	1.50	0.5
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	7	37.71	1082.6	14	13.57	263.3
20-34 YRS	14	40.36	907.3	4	11.50	70.3
35-49 YRS	10	35.10	701.2	35	8.26	75.4
50-64 YRS	0	0.0	0.0	102	9.92	141.3
65+ YRS	0	0.0	0.0	114	12.67	198.7
B. OPERATED						
00-19 YRS	1	55.00	0.0	0	0.0	0.0
20-34 YRS	2	55.50	4.5	0	0.0	0.0
35-49 YRS	0	0.0	0.0	1	23.00	0.0
50-64 YRS	0	0.0	0.0	3	3.00	1.0
65+ YRS	0	0.0	0.0	8	19.25	457.9
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	9	14.33	288.5	13	4.46	58.9
B. OPERATED	0	0.0	0.0	3	3.33	10.3
2. MULTIPLE DX						
A. NOT OPERATED	31	38.06	825.5	269	11.08	163.1
B. OPERATED	3	55.33	2.3	12	15.50	375.0
1. SINGLE DX	9	14.33	288.5	16	4.25	48.7
2. MULTIPLE DX	34	39.59	775.3	281	11.27	171.6
A. NOT OPERATED	40	32.72	794.9	282	10.78	160.0
B. OPERATED	3	55.33	2.3	15	13.07	321.5
TOTAL 00-19 YRS	9	40.22	845.7	14	13.57	263.3
TOTAL 20-34 YRS	20	37.40	790.4	7	8.14	56.8
TOTAL 35-49 YRS	13	27.92	714.1	41	7.90	74.4
TOTAL 50-64 YRS	1	2.00	0.0	112	9.47	136.6
TOTAL 65+ YRS	0	0.0	0.0	123	13.03	215.8
GRAND TOTAL	43	34.30	772.2	297	10.89	167.4



# OAK KNOLL

PAS\_CODE\_111

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	3	1.33	0.3
20-34 YRS	1	8.00	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	19	8.42	1.7	114	2.16	1.4
20-34 YRS	52	7.94	2.4	25	2.04	0.0
35-49 YRS	1	8.00	0.0	4	2.50	1.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	7	1.71	0.2
20-34 YRS	3	19.33	625.3	0	0.0	0.0
35-49 YRS	1	28.00	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	8	16.00	244.9	77	2.03	0.0
20-34 YRS	10	9.30	4.2	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	1	8.00	0.0	3	1.33	0.3
B. OPERATED	72	8.07	2.2	143	2.15	1.1
2. MULTIPLE DX						
A. NOT OPERATED	4	21.50	435.7	7	1.71	0.2
B. OPERATED	18	12.28	114.8	77	2.03	0.0
1. SINGLE DX	73	8.07	2.2	146	2.13	1.1
2. MULTIPLE DX	22	13.95	168.4	84	2.00	0.0
A. NOT OPERATED	5	18.80	363.2	10	1.60	0.3
B. OPERATED	90	8.91	26.6	220	2.10	0.7
TOTAL 00-19 YRS	27	10.67	79.5	201	2.08	0.8
TOTAL 20-34 YRS	66	8.67	27.5	25	2.04	0.0
TOTAL 35-49 YRS	2	18.00	200.0	4	2.50	1.0
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	95	9.43	45.5	230	2.08	0.7





## OAK KNOLL

PAS\_CODE\_112

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	3	16.33	354.3	3	4.00	7.0
20-34 YRS	3	5.00	3.0	0	0.0	0.0
35-49 YRS	1	6.00	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	6	10.50	19.9	15	3.67	2.4
20-34 YRS	54	9.02	35.1	23	3.74	5.2
35-49 YRS	9	6.67	3.0	22	3.64	2.5
50-64 YRS	0	0.0	0.0	18	2.72	0.9
65+ YRS	0	0.0	0.0	3	2.67	0.3
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	11	41.45	744.5	14	3.50	3.8
20-34 YRS	37	15.70	231.5	7	4.57	2.3
35-49 YRS	6	20.33	188.3	7	3.43	10.6
50-64 YRS	1	7.00	0.0	9	5.00	6.5
65+ YRS	0	0.0	0.0	5	21.60	398.3
B. OPERATED						
00-19 YRS	10	19.40	229.2	10	4.00	4.9
20-34 YRS	44	14.57	179.9	3	4.00	3.0
35-49 YRS	10	12.90	63.2	5	2.80	1.7
50-64 YRS	0	0.0	0.0	12	7.50	79.7
65+ YRS	0	0.0	0.0	4	4.50	0.3
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	7	10.00	154.3	3	4.00	7.0
B. OPERATED	69	8.84	30.1	81	3.43	2.9
2. MULTIPLE DX						
A. NOT OPERATED	55	21.20	417.7	42	6.14	76.7
B. OPERATED	64	15.06	168.5	34	5.12	31.7
1. SINGLE DX	76	8.95	39.7	84	3.45	3.0
2. MULTIPLE DX	119	17.90	290.5	76	5.68	56.2
A. NOT OPERATED	62	19.94	397.7	45	6.00	72.1
B. OPERATED	133	11.83	105.6	115	3.93	11.8
TOTAL 00-19 YRS	30	25.40	520.3	42	3.71	3.5
TOTAL 20-34 YRS	138	12.49	141.1	33	3.94	4.3
TOTAL 35-49 YRS	26	12.19	90.0	34	3.47	3.8
TOTAL 50-64 YRS	1	7.00	0.0	39	4.72	29.2
TOTAL 65+ YRS	0	0.0	0.0	12	11.17	230.3
GRAND TOTAL	195	14.41	211.2	160	4.51	29.3



# OAK KNOLL

PAS\_CODE\_113

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	1	37.00	0.0	0	0.0	0.0
20-34 YRS	1	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	4	11.00	87.3
50-64 YRS	0	0.0	0.0	4	7.00	8.7
65+ YRS	0	0.0	0.0	3	13.00	301.0
B. OPERATED						
00-19 YRS	3	10.33	70.3	4	3.75	1.6
20-34 YRS	10	15.50	291.4	3	6.33	14.3
35-49 YRS	1	29.00	0.0	9	8.56	66.8
50-64 YRS	0	0.0	0.0	2	32.50	1104.5
65+ YRS	0	0.0	0.0	1	2.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	3	45.33	1532.3	7	11.71	80.9
20-34 YRS	22	23.14	548.4	11	8.55	68.3
35-49 YRS	10	25.30	671.8	31	7.06	26.5
50-64 YRS	4	11.25	3.6	98	11.83	231.5
65+ YRS	0	0.0	0.0	57	12.47	146.3
B. OPERATED						
00-19 YRS	1	68.00	0.0	0	0.0	0.0
20-34 YRS	5	37.40	1097.3	3	7.67	16.3
35-49 YRS	0	0.0	0.0	7	14.29	425.9
50-64 YRS	1	8.00	0.0	12	20.67	433.2
65+ YRS	0	0.0	0.0	9	31.11	534.9
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	2	18.50	684.5	11	10.09	95.7
B. OPERATED	14	15.36	232.7	19	9.37	164.2
2. MULTIPLE DX						
A. NOT OPERATED	39	24.18	597.0	204	11.10	164.3
B. OPERATED	7	37.57	1031.6	31	21.00	553.4
1. SINGLE DX	16	15.75	248.5	30	9.63	135.1
2. MULTIPLE DX	46	26.22	665.3	235	12.41	224.7
A. NOT OPERATED	41	23.90	585.8	215	11.05	160.4
B. OPERATED	21	22.76	575.9	50	16.58	431.7
TOTAL 00-19 YRS	8	34.00	919.4	11	8.32	65.2
TOTAL 20-34 YRS	38	22.39	557.9	17	8.00	47.3
TOTAL 35-49 YRS	11	25.64	605.9	51	8.63	89.4
TOTAL 50-64 YRS	5	10.60	4.8	116	12.93	261.7
TOTAL 65+ YRS	0	0.0	0.0	70	14.74	277.5
GRAND TOTAL	62	23.52	573.2	265	12.09	214.8



# OAK KNOLL

PAS\_CODE\_122

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	2	1.50	0.5
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	7	10.29	8.9	33	2.30	0.5
20-34 YRS	48	11.33	118.4	2	4.00	0.0
35-49 YRS	21	12.29	67.4	21	5.29	5.4
50-64 YRS	3	9.00	19.0	26	4.42	1.3
65+ YRS	0	0.0	0.0	9	6.44	7.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	1	1.00	0.0	3	4.00	9.0
20-34 YRS	2	33.50	4.5	0	0.0	0.0
35-49 YRS	3	18.67	230.3	3	3.33	1.3
50-64 YRS	0	0.0	0.0	2	5.00	32.0
65+ YRS	0	0.0	0.0	7	19.00	620.3
B. OPERATED						
00-19 YRS	0	0.0	0.0	12	2.75	8.6
20-34 YRS	18	17.44	284.6	0	0.0	0.0
35-49 YRS	8	14.00	31.7	6	4.33	3.1
50-64 YRS	2	18.00	18.0	18	7.94	24.9
65+ YRS	0	0.0	0.0	5	8.40	23.3
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	2	1.50	0.5
B. OPERATED	79	11.41	90.3	91	4.04	4.4
2. MULTIPLE DX						
A. NOT OPERATED	6	20.67	238.7	15	11.00	329.9
B. OPERATED	28	16.50	190.7	41	5.95	21.6
1. SINGLE DX	79	11.41	90.3	93	3.99	4.5
2. MULTIPLE DX	34	17.24	194.8	56	7.30	104.8
A. NOT OPERATED	6	20.67	238.7	17	9.88	298.6
B. OPERATED	107	12.74	120.1	132	4.64	10.4
TOTAL 00-19 YRS	8	9.13	18.4	50	2.48	2.8
TOTAL 20-34 YRS	68	13.60	174.8	2	4.00	0.0
TOTAL 35-49 YRS	32	13.31	69.1	30	4.90	4.8
TOTAL 50-64 YRS	5	12.60	38.3	46	5.83	13.8
TOTAL 65+ YRS	0	0.0	0.0	21	11.10	227.0
GRAND TOTAL	113	13.16	127.5	149	5.23	44.3



# OAK KNOLL

PAS\_CODE\_125

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	1	36.00	0.0	1	9.00	0.0
20-34 YRS	5	35.20	436.7	1	1.00	0.0
35-49 YRS	7	13.43	244.3	18	6.11	15.3
50-64 YRS	0	0.0	0.0	5	6.60	23.3
65+ YRS	0	0.0	0.0	3	3.67	6.3
B. OPERATED						
00-19 YRS	0	0.0	0.0	3	5.67	4.3
20-34 YRS	7	25.29	740.6	4	12.75	45.6
35-49 YRS	4	9.25	28.3	6	13.00	152.4
50-64 YRS	0	0.0	0.0	2	13.00	2.0
65+ YRS	0	0.0	0.0	2	12.50	4.5
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	2	32.50	1200.5	14	10.50	43.2
20-34 YRS	16	20.81	275.1	17	10.35	182.6
35-49 YRS	11	30.82	488.6	32	11.25	50.5
50-64 YRS	2	7.50	4.5	39	15.82	356.5
65+ YRS	0	0.0	0.0	29	21.17	452.5
B. OPERATED						
00-19 YRS	1	11.00	0.0	6	28.17	501.0
20-34 YRS	12	30.00	418.7	6	14.83	146.2
35-49 YRS	5	23.80	100.7	16	15.06	254.5
50-64 YRS	1	34.00	0.0	19	33.53	595.8
65+ YRS	0	0.0	0.0	13	18.54	95.1
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	13	23.54	396.9	28	5.86	15.5
B. OPERATED	11	19.45	518.3	17	11.59	65.1
2. MULTIPLE DX						
A. NOT OPERATED	31	24.26	385.9	131	14.61	257.5
B. OPERATED	19	27.58	303.7	60	22.95	387.3
1. SINGLE DX	24	21.67	436.8	45	8.02	41.1
2. MULTIPLE DX	50	25.52	350.5	191	17.23	311.5
A. NOT OPERATED	44	24.05	380.1	159	13.07	225.7
B. OPERATED	30	24.60	383.1	77	20.44	336.9
TOTAL 00-19 YRS	4	28.00	531.3	24	14.25	203.6
TOTAL 20-34 YRS	40	26.15	409.5	28	11.32	147.9
TOTAL 35-49 YRS	27	21.81	341.3	72	10.96	100.3
TOTAL 50-64 YRS	3	16.33	236.3	65	20.20	461.2
TOTAL 65+ YRS	0	0.0	0.0	47	18.96	320.8
GRAND TOTAL	74	24.27	376.2	236	15.47	272.7





## OAK KNOLL

PAS\_CODE\_126

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	9	45.67	311.0	0	0.0	0.0
20-34 YRS	18	42.83	265.0	1	18.00	0.0
35-49 YRS	2	16.50	420.5	0	0.0	0.0
50-64 YRS	0	0.0	0.0	2	2.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	3.00	0.0	1	2.00	0.0
35-49 YRS	0	0.0	0.0	1	2.00	0.0
50-64 YRS	0	0.0	0.0	1	7.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	4	41.75	494.3	1	0.0	0.0
20-34 YRS	20	39.65	846.6	11	5.73	27.6
35-49 YRS	6	14.83	105.0	20	12.20	70.6
50-64 YRS	1	63.00	0.0	50	19.70	408.3
65+ YRS	0	0.0	0.0	15	16.80	91.7
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	2	15.50	144.5	2	35.50	2112.5
35-49 YRS	1	9.00	0.0	11	13.13	85.0
50-64 YRS	0	0.0	0.0	9	33.89	1218.1
65+ YRS	0	0.0	0.0	3	78.67	280.3
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	29	41.90	316.0	3	7.33	85.3
B. OPERATED	1	3.00	0.0	3	3.67	8.3
2. MULTIPLE DX						
A. NOT OPERATED	31	35.87	730.3	97	15.92	263.6
B. OPERATED	3	13.33	86.3	25	30.28	1020.0
1. SINGLE DX	30	40.60	355.5	6	5.50	41.5
2. MULTIPLE DX	34	33.88	711.2	122	18.86	445.3
A. NOT OPERATED	60	38.78	530.5	100	15.66	259.5
B. OPERATED	4	10.75	84.3	28	27.43	977.5
TOTAL 00-19 YRS	13	44.46	334.4	1	0.0	0.0
TOTAL 20-34 YRS	41	38.98	585.2	15	10.27	286.9
TOTAL 35-49 YRS	9	14.56	123.0	32	12.22	74.4
TOTAL 50-64 YRS	1	63.00	0.0	62	20.98	541.8
TOTAL 65+ YRS	0	0.0	0.0	18	27.11	671.4
GRAND TOTAL	64	37.03	547.6	128	18.23	434.0



## OAK KNOLL

PAS\_CODE\_153

		ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT		TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
<b>1. SINGLE DX</b>							
<b>A. NOT OPERATED</b>							
00-19 YRS		0	0.0	0.0	2	1.00	0.0
20-34 YRS		0	0.0	0.0	3	2.67	8.3
35-49 YRS		0	0.0	0.0	0	0.0	0.0
50-64 YRS		0	0.0	0.0	0	0.0	0.0
65+ YRS		0	0.0	0.0	0	0.0	0.0
<b>B. OPERATED</b>							
00-19 YRS		2	4.50	4.5	18	1.50	0.5
20-34 YRS		7	3.71	2.9	51	1.33	0.4
35-49 YRS		0	0.0	0.0	6	1.67	0.3
50-64 YRS		0	0.0	0.0	0	0.0	0.0
65+ YRS		0	0.0	0.0	0	0.0	0.0
<b>2. MULTIPLE DX</b>							
<b>A. NOT OPERATED</b>							
00-19 YRS		1	11.00	0.0	2	2.50	0.5
20-34 YRS		1	6.00	0.0	2	3.00	0.0
35-49 YRS		0	0.0	0.0	0	0.0	0.0
50-64 YRS		0	0.0	0.0	0	0.0	0.0
65+ YRS		0	0.0	0.0	0	0.0	0.0
<b>B. OPERATED</b>							
00-19 YRS		1	2.00	0.0	3	1.67	0.3
20-34 YRS		1	5.00	0.0	14	2.43	2.1
35-49 YRS		0	0.0	0.0	2	1.50	0.5
50-64 YRS		0	0.0	0.0	0	0.0	0.0
65+ YRS		0	0.0	0.0	0	0.0	0.0
<b>SUB TOTALS:</b>							
<b>1. SINGLE DX</b>							
A. NOT OPERATED		0	0.0	0.0	5	2.00	5.0
B. OPERATED		9	3.89	2.9	75	1.40	0.4
<b>2. MULTIPLE DX</b>							
A. NOT OPERATED		2	8.50	12.5	4	2.75	0.3
B. OPERATED		2	3.50	4.5	19	2.21	1.7
<b>1. SINGLE DX</b>		9	3.89	2.9	80	1.44	0.7
<b>2. MULTIPLE DX</b>		4	6.00	14.0	23	2.30	1.5
<b>A. NOT OPERATED</b>		2	8.50	12.5	9	2.33	2.8
<b>B. OPERATED</b>		11	3.82	2.8	94	1.56	0.8
TOTAL 00-19 YRS		4	5.50	16.3	25	1.56	0.5
TOTAL 20-34 YRS		9	4.11	2.9	70	1.66	1.2
TOTAL 35-49 YRS		0	0.0	0.0	8	1.63	0.3
TOTAL 50-64 YRS		0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS		0	0.0	0.0	0	0.0	0.0
<b>GRAND TOTAL</b>		<b>13</b>	<b>4.54</b>	<b>6.4</b>	<b>103</b>	<b>1.63</b>	<b>1.0</b>



# OAK KNOLL

PAS\_CODE\_154

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	2	3.50	0.5
20-34 YRS	0	0.0	0.0	18	2.94	0.2
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	64	3.27	0.3
20-34 YRS	1	5.00	0.0	254	3.10	0.3
35-49 YRS	0	0.0	0.0	14	3.07	0.1
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	3	12.33	261.3
35-49 YRS	0	0.0	0.0	1	5.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	23	4.70	5.0
20-34 YRS	0	0.0	0.0	136	4.49	41.8
35-49 YRS	0	0.0	0.0	10	4.30	2.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	20	3.00	0.2
B. OPERATED	1	5.00	0.0	332	3.13	0.3
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	4	10.50	187.7
B. OPERATED	0	0.0	0.0	169	4.50	34.4
1. SINGLE DX	1	5.00	0.0	352	3.12	0.3
2. MULTIPLE DX	0	0.0	0.0	173	4.64	37.7
A. NOT OPERATED	0	0.0	0.0	24	4.25	32.8
B. OPERATED	1	5.00	0.0	501	3.59	12.2
TOTAL 00-19 YRS	0	0.0	0.0	89	3.64	1.8
TOTAL 20-34 YRS	1	5.00	0.0	411	3.62	16.2
TOTAL 35-49 YRS	0	0.0	0.0	25	3.64	1.2
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	1	5.00	0.0	525	3.62	13.1



# OAK KNOLL

PAS\_CODE\_162

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	1	4.00	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	2	3.50	0.5
20-34 YRS	0	0.0	0.0	16	3.38	0.4
35-49 YRS	0	0.0	0.0	1	2.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	4	5.75	6.9
20-34 YRS	0	0.0	0.0	16	5.69	24.5
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	12	4.58	3.2
20-34 YRS	0	0.0	0.0	64	3.95	3.0
35-49 YRS	0	0.0	0.0	6	4.17	2.6
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	1	4.00	0.0
B. OPERATED	0	0.0	0.0	19	3.32	0.5
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	20	5.70	20.4
B. OPERATED	0	0.0	0.0	82	4.06	2.9
1. SINGLE DX	0	0.0	0.0	20	3.35	0.5
2. MULTIPLE DX	0	0.0	0.0	102	4.33	6.6
A. NOT OPERATED	0	0.0	0.0	21	5.62	19.5
B. OPERATED	0	0.0	0.0	101	3.92	2.6
TOTAL 00-19 YRS	0	0.0	0.0	18	4.72	3.7
TOTAL 20-34 YRS	0	0.0	0.0	97	4.14	6.4
TOTAL 35-49 YRS	0	0.0	0.0	7	3.86	2.8
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	0	0.0	0.0	122	4.21	5.8





# OAK KNOLL

PAS\_CODE\_165

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	13	3.31	0.4
20-34 YRS	0	0.0	0.0	38	3.21	0.7
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	5	3.80	0.7
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	20	3.80	0.6
20-34 YRS	0	0.0	0.0	65	3.78	2.0
35-49 YRS	0	0.0	0.0	4	3.50	0.3
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	0	0.0	0.0
B. OPERATED	0	0.0	0.0	51	3.24	0.6
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	5	3.80	0.7
B. OPERATED	0	0.0	0.0	89	3.78	1.6
1. SINGLE DX	0	0.0	0.0	51	3.24	0.6
2. MULTIPLE DX	0	0.0	0.0	94	3.78	1.6
A. NOT OPERATED	0	0.0	0.0	5	3.80	0.7
B. OPERATED	0	0.0	0.0	140	3.58	1.3
TOTAL 00-19 YRS	0	0.0	0.0	33	3.61	0.6
TOTAL 20-34 YRS	0	0.0	0.0	108	3.58	1.6
TOTAL 35-49 YRS	0	0.0	0.0	4	3.50	0.3
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	0	0.0	0.0	145	3.59	1.3



# OAK KNOLL

PAS\_CODE\_174

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	4	15.75	56.3	8	4.00	1.4
20-34 YRS	16	26.19	681.6	2	35.50	1984.5
35-49 YRS	1	10.00	0.0	1	38.00	0.0
50-64 YRS	0	0.0	0.0	2	19.50	612.5
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	2	11.00	50.0	11	5.73	16.0
20-34 YRS	13	13.46	74.8	9	4.78	9.4
35-49 YRS	0	0.0	0.0	11	5.55	19.5
50-64 YRS	0	0.0	0.0	14	5.43	9.5
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	27	34.52	527.4	33	5.94	77.9
20-34 YRS	58	30.21	500.4	10	22.30	1039.1
35-49 YRS	15	28.20	678.6	20	13.20	240.8
50-64 YRS	0	0.0	0.0	32	14.47	179.2
65+ YRS	0	0.0	0.0	11	8.36	35.1
B. OPERATED						
00-19 YRS	2	27.50	420.5	2	6.00	8.0
20-34 YRS	11	29.36	655.5	9	21.11	1233.4
35-49 YRS	5	27.00	500.0	9	15.56	449.3
50-64 YRS	0	0.0	0.0	14	9.64	19.6
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	21	23.43	546.6	13	13.85	414.0
B. OPERATED	15	13.13	68.4	45	5.40	12.7
2. MULTIPLE DX						
A. NOT OPERATED	100	31.07	527.5	106	11.68	237.7
B. OPERATED	18	28.50	529.2	34	14.03	442.3
1. SINGLE DX	36	19.14	366.2	58	7.29	109.6
2. MULTIPLE DX	118	30.68	524.1	140	12.25	285.6
A. NOT OPERATED	121	29.74	534.7	119	11.92	254.1
B. OPERATED	33	21.52	371.4	79	9.11	212.8
TOTAL 00-19 YRS	35	30.63	483.4	54	5.61	50.8
TOTAL 20-34 YRS	98	27.23	507.7	30	17.57	818.3
TOTAL 35-49 YRS	21	27.05	590.5	41	12.27	241.0
TOTAL 50-64 YRS	0	0.0	0.0	62	11.50	123.3
TOTAL 65+ YRS	0	0.0	0.0	11	8.36	35.1
GRAND TOTAL	154	27.98	508.6	198	10.80	238.3



# OAK KNOLL

PAS\_CODE\_188

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	4	4.00	8.7
20-34 YRS	3	40.67	1010.3	0	0.0	0.0
35-49 YRS	2	17.00	0.0	2	7.00	50.0
50-64 YRS	0	0.0	0.0	1	2.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	14	8.14	202.6
20-34 YRS	4	9.00	58.0	3	6.00	9.0
35-49 YRS	0	0.0	0.0	1	6.00	0.0
50-64 YRS	0	0.0	0.0	2	16.50	4.5
65+ YRS	0	0.0	0.0	1	10.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	8	39.50	204.0	68	4.82	21.2
20-34 YRS	14	37.07	573.8	2	5.50	4.5
35-49 YRS	5	32.40	764.3	6	11.33	97.1
50-64 YRS	0	0.0	0.0	3	7.67	54.3
65+ YRS	0	0.0	0.0	1	30.00	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	15	11.93	152.2
20-34 YRS	1	75.00	0.0	6	6.33	34.7
35-49 YRS	3	34.67	52.3	1	2.00	0.0
50-64 YRS	0	0.0	0.0	4	21.75	84.9
65+ YRS	0	0.0	0.0	1	34.00	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	5	31.20	673.2	7	4.57	16.0
B. OPERATED	4	9.00	58.0	21	8.62	140.6
2. MULTIPLE DX						
A. NOT OPERATED	27	36.93	465.4	80	5.75	36.2
B. OPERATED	4	44.75	441.6	27	12.59	143.1
1. SINGLE DX	9	21.33	495.3	28	7.61	110.9
2. MULTIPLE DX	31	37.94	454.6	107	7.48	71.0
A. NOT OPERATED	32	36.03	481.6	87	5.66	34.5
B. OPERATED	8	26.88	579.3	48	10.85	143.0
TOTAL 00-19 YRS	8	39.50	204.0	101	6.31	69.2
TOTAL 20-34 YRS	22	34.18	671.4	11	6.09	19.7
TOTAL 35-49 YRS	10	30.00	399.3	10	9.00	70.4
TOTAL 50-64 YRS	0	0.0	0.0	10	14.50	52.1
TOTAL 65+ YRS	0	0.0	0.0	3	24.67	165.3
GRAND TOTAL	40	34.20	500.6	135	7.50	78.5



## OAK KNOLL

PAS\_CODE\_189

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	7	15.29	512.2
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	197	6.50	42.8
20-34 YRS	0	0.0	0.0	5	9.60	32.8
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	2	9.50	60.5
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	7	15.29	512.2
B. OPERATED	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	202	6.57	42.6
B. OPERATED	0	0.0	0.0	2	9.50	60.5
1. SINGLE DX	0	0.0	0.0	7	15.29	512.2
2. MULTIPLE DX	0	0.0	0.0	204	6.60	42.6
A. NOT OPERATED	0	0.0	0.0	209	6.87	58.4
B. OPERATED	0	0.0	0.0	2	9.50	60.5
TOTAL 00-19 YRS	0	0.0	0.0	206	6.83	58.8
TOTAL 20-34 YRS	0	0.0	0.0	5	9.60	32.8
TOTAL 35-49 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	0	0.0	0.0	211	6.89	58.2





## OAK KNOLL

PAS\_CODE\_120

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	9	12.78	84.7	34	5.03	33.6
20-34 YRS	28	11.25	104.9	14	3.36	3.9
35-49 YRS	9	28.78	824.4	12	4.17	19.4
50-64 YRS	0	0.0	0.0	12	4.00	16.2
65+ YRS	0	0.0	0.0	7	5.29	21.9
B. OPERATED						
00-19 YRS	0	0.0	0.0	20	2.70	8.7
20-34 YRS	9	8.89	74.9	4	5.00	22.7
35-49 YRS	2	16.00	32.0	10	3.50	8.7
50-64 YRS	0	0.0	0.0	9	4.56	26.0
65+ YRS	0	0.0	0.0	3	10.67	200.3
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	22	26.32	796.7	102	5.25	23.7
20-34 YRS	70	30.57	768.6	42	6.24	74.0
35-49 YRS	21	31.52	1084.1	83	7.48	71.0
50-64 YRS	3	9.33	0.3	110	11.75	238.3
65+ YRS	0	0.0	0.0	59	12.78	164.5
B. OPERATED						
00-19 YRS	6	20.17	351.0	13	4.15	41.8
20-34 YRS	10	21.70	504.5	30	6.43	20.0
35-49 YRS	3	23.33	177.3	35	9.74	74.0
50-64 YRS	1	9.00	0.0	29	13.48	227.8
65+ YRS	0	0.0	0.0	6	33.17	652.2
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	46	14.98	272.2	79	4.47	22.0
B. OPERATED	11	10.18	71.4	46	3.96	24.4
2. MULTIPLE DX						
A. NOT OPERATED	116	29.39	809.2	396	8.75	127.5
B. OPERATED	20	20.85	358.9	113	10.42	157.3
1. SINGLE DX	57	14.05	235.2	125	4.28	22.8
2. MULTIPLE DX	136	28.13	749.0	509	9.12	134.3
A. NOT OPERATED	162	25.30	696.5	475	8.04	112.4
B. OPERATED	31	17.06	278.0	159	8.55	127.1
TOTAL 00-19 YRS	37	22.03	565.5	169	4.82	25.5
TOTAL 20-34 YRS	117	23.52	609.1	90	5.80	43.1
TOTAL 35-49 YRS	35	29.23	859.7	140	7.48	65.5
TOTAL 50-64 YRS	4	9.25	0.3	160	11.08	213.5
TOTAL 65+ YRS	0	0.0	0.0	75	13.63	218.6
GRAND TOTAL	193	23.97	636.7	634	8.17	116.0



# OAK KNOLL

PAS\_CODE\_125

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	2	1.50	0.5	8	3.13	7.6
20-34 YRS	9	5.78	17.2	2	1.00	0.0
35-49 YRS	1	5.00	0.0	1	2.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	2	13.50	24.5
B. OPERATED						
00-19 YRS	1	12.00	0.0	31	3.13	8.8
20-34 YRS	7	15.71	227.2	3	5.00	9.0
35-49 YRS	0	0.0	0.0	4	1.25	0.9
50-64 YRS	0	0.0	0.0	3	4.00	13.0
65+ YRS	0	0.0	0.0	2	1.00	2.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	14	34.86	861.5	14	13.07	600.8
20-34 YRS	27	43.81	723.9	0	0.0	0.0
35-49 YRS	0	0.0	0.0	4	19.25	1284.3
50-64 YRS	0	0.0	0.0	3	2.33	0.3
65+ YRS	0	0.0	0.0	1	4.00	0.0
B. OPERATED						
00-19 YRS	4	6.00	76.0	5	13.40	72.8
20-34 YRS	15	43.00	707.7	2	3.50	12.5
35-49 YRS	2	27.00	72.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	4	17.25	482.9
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	12	5.00	15.3	13	4.31	23.7
B. OPERATED	8	15.25	196.5	43	3.05	8.3
2. MULTIPLE DX						
A. NOT OPERATED	41	40.76	769.0	22	12.32	582.5
B. OPERATED	21	34.43	732.7	11	13.00	200.6
1. SINGLE DX	20	9.10	107.8	56	3.34	11.8
2. MULTIPLE DX	62	38.61	753.6	33	12.55	445.1
A. NOT OPERATED	53	32.66	823.0	35	9.34	383.6
B. OPERATED	29	29.14	648.6	54	5.07	60.8
TOTAL 00-19 YRS	21	25.10	775.3	58	6.41	170.3
TOTAL 20-34 YRS	58	34.31	764.0	7	3.43	8.3
TOTAL 35-49 YRS	3	19.67	197.3	9	9.33	570.5
TOTAL 50-64 YRS	0	0.0	0.0	10	8.80	217.3
TOTAL 65+ YRS	0	0.0	0.0	5	6.60	47.8
GRAND TOTAL	82	31.41	755.4	89	6.75	189.2



## OAK KNOLL

PAS\_CODE\_200

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	5	1.80	0.7	16	1.75	0.7
20-34 YRS	7	5.57	12.3	1	1.00	0.0
35-49 YRS	0	0.0	0.0	1	1.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	1	64.00	0.0
20-34 YRS	1	8.00	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	14	17.57	698.7	15	3.93	27.2
20-34 YRS	38	33.18	920.6	0	0.0	0.0
35-49 YRS	4	25.50	735.0	4	1.00	0.7
50-64 YRS	0	0.0	0.0	3	3.00	3.0
65+ YRS	0	0.0	0.0	2	7.50	12.5
B. OPERATED						
00-19 YRS	6	29.33	713.1	3	6.33	17.3
20-34 YRS	10	40.30	473.3	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	12	4.00	10.7	18	1.67	0.7
B. OPERATED	1	8.00	0.0	1	64.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED	56	28.73	870.7	24	3.63	20.1
B. OPERATED	16	36.19	551.8	3	6.33	17.3
1. SINGLE DX	13	4.31	11.1	19	4.95	205.2
2. MULTIPLE DX	72	30.39	800.8	27	3.93	19.8
A. NOT OPERATED	68	24.37	806.8	42	2.79	12.5
B. OPERATED	17	34.53	564.0	4	20.75	842.9
TOTAL 00-19 YRS	25	17.24	613.4	35	4.86	120.5
TOTAL 20-34 YRS	56	30.55	808.9	1	1.00	0.0
TOTAL 35-49 YRS	4	25.50	735.0	5	1.00	0.5
TOTAL 50-64 YRS	0	0.0	0.0	3	3.00	3.0
TOTAL 65+ YRS	0	0.0	0.0	2	7.50	12.5
GRAND TOTAL	85	26.40	767.6	46	4.35	93.8



# OAK KNOLL

PAS\_CODE\_202

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	7	17.57	262.3	12	7.42	53.0
20-34 YRS	14	7.86	62.4	3	4.33	24.3
35-49 YRS	2	5.00	2.0	1	1.00	0.0
50-64 YRS	0	0.0	0.0	1	3.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	5	16.20	136.7	28	3.71	15.3
20-34 YRS	22	9.68	58.2	10	5.60	22.5
35-49 YRS	4	12.50	175.0	8	3.88	13.6
50-64 YRS	0	0.0	0.0	5	13.60	564.8
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	40	24.65	671.4	33	7.12	259.8
20-34 YRS	120	23.72	561.5	7	16.57	242.3
35-49 YRS	12	5.25	16.2	12	6.92	60.1
50-64 YRS	0	0.0	0.0	17	14.29	362.7
65+ YRS	0	0.0	0.0	3	18.33	114.3
B. OPERATED						
00-19 YRS	6	22.17	131.8	11	6.82	26.6
20-34 YRS	47	30.51	364.7	6	31.00	1637.2
35-49 YRS	6	11.50	31.1	5	9.60	151.3
50-64 YRS	0	0.0	0.0	1	97.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	23	10.57	131.6	17	6.24	43.6
B. OPERATED	31	11.10	82.6	51	5.08	68.0
2. MULTIPLE DX						
A. NOT OPERATED	172	22.65	567.9	72	10.17	248.9
B. OPERATED	59	27.73	340.0	23	17.65	819.9
1. SINGLE DX	54	10.87	101.4	68	5.37	61.4
2. MULTIPLE DX	231	23.95	512.9	95	11.98	390.3
A. NOT OPERATED	195	21.23	530.8	89	9.42	211.1
B. OPERATED	90	22.00	312.6	74	8.99	328.0
TOTAL 00-19 YRS	58	22.81	517.8	84	5.99	118.0
TOTAL 20-34 YRS	203	22.68	472.5	26	14.27	506.2
TOTAL 35-49 YRS	24	8.00	48.9	26	6.27	59.8
TOTAL 50-64 YRS	0	0.0	0.0	24	17.13	645.2
TOTAL 65+ YRS	0	0.0	0.0	3	18.33	114.3
GRAND TOTAL	285	21.47	460.7	163	9.22	262.5





# OAK KNOLL

PAS\_CODE\_205

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	1	10.00	0.0	8	3.13	13.0
20-34 YRS	6	1.67	1.5	4	0.75	0.3
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	1	1.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	19	22.74	442.8	20	2.45	9.3
20-34 YRS	23	22.26	658.9	12	11.00	400.2
35-49 YRS	3	24.33	384.3	16	10.06	79.7
50-64 YRS	0	0.0	0.0	13	8.38	36.9
65+ YRS	0	0.0	0.0	16	10.00	48.8
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	1	4.00	0.0
35-49 YRS	1	16.00	0.0	2	45.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	7	2.86	11.1	13	2.23	9.0
B. OPERATED	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED	45	22.60	528.3	77	7.94	102.7
B. OPERATED	1	16.00	0.0	3	31.33	560.3
1. SINGLE DX	7	2.86	11.1	13	2.23	9.0
2. MULTIPLE DX	46	22.46	517.5	80	8.81	133.0
A. NOT OPERATED	52	19.94	503.4	90	7.11	93.0
B. OPERATED	1	16.00	0.0	3	31.33	560.3
TOTAL 00-19 YRS	20	22.10	427.6	28	2.64	10.0
TOTAL 20-34 YRS	29	18.00	590.1	17	8.18	296.0
TOTAL 35-49 YRS	4	22.25	273.6	18	13.94	197.9
TOTAL 50-64 YRS	0	0.0	0.0	14	7.86	38.0
TOTAL 65+ YRS	0	0.0	0.0	16	10.00	48.8
GRAND TOTAL	53	19.87	494.0	93	7.89	120.7



OAK KNOLL

PAS\_CODE\_208

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	1	23.00	0.0	6	2.67	5.1
20-34 YRS	7	15.86	328.5	1	4.00	0.0
35-49 YRS	2	1.50	0.5	3	4.33	17.3
50-64 YRS	0	0.0	0.0	1	8.00	0.0
65+ YRS	0	0.0	0.0	1	2.00	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	2	4.00	8.0
20-34 YRS	8	12.25	137.6	3	1.67	0.3
35-49 YRS	1	3.00	0.0	6	5.17	15.8
50-64 YRS	0	0.0	0.0	4	6.75	34.3
65+ YRS	0	0.0	0.0	1	13.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	9	24.67	688.8	18	5.44	39.0
20-34 YRS	18	27.28	856.6	28	10.46	182.4
35-49 YRS	3	33.00	619.0	21	10.29	56.3
50-64 YRS	1	21.00	0.0	16	9.00	96.0
65+ YRS	0	0.0	0.0	5	12.40	181.3
B. OPERATED						
00-19 YRS	2	10.00	98.0	9	7.67	45.5
20-34 YRS	12	38.42	904.6	37	5.27	19.8
35-49 YRS	4	24.00	390.7	18	12.44	89.8
50-64 YRS	0	0.0	0.0	8	26.38	256.8
65+ YRS	0	0.0	0.0	4	48.25	1199.6
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	10	14.20	278.2	12	3.58	8.1
B. OPERATED	9	11.22	129.9	16	5.25	20.1
2. MULTIPLE DX						
A. NOT OPERATED	31	26.87	716.8	88	9.24	106.5
B. OPERATED	18	32.06	761.1	76	11.74	223.4
1. SINGLE DX	19	12.79	199.2	28	4.54	15.1
2. MULTIPLE DX	49	28.78	723.9	164	10.40	161.2
A. NOT OPERATED	41	23.78	630.5	100	8.56	97.9
B. OPERATED	27	25.11	637.8	92	10.61	193.5
TOTAL 00-19 YRS	12	22.50	544.8	35	5.46	34.0
TOTAL 20-34 YRS	45	25.60	717.2	69	7.20	90.8
TOTAL 35-49 YRS	10	20.10	439.4	48	10.08	66.4
TOTAL 50-64 YRS	1	21.00	0.0	29	13.45	185.8
TOTAL 65+ YRS	0	0.0	0.0	11	24.55	795.1
GRAND TOTAL	68	24.31	624.4	192	9.54	144.0



# OAK KNOLL

PAS\_CODE\_210

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	1	10.00	0.0	5	3.60	11.3
20-34 YRS	10	17.20	366.2	4	1.25	2.3
35-49 YRS	1	20.00	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	3	4.00	7.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	9	3.33	16.5
20-34 YRS	7	7.00	39.3	29	2.72	2.0
35-49 YRS	2	1.50	0.5	9	4.56	19.0
50-64 YRS	1	1.00	0.0	4	4.25	8.3
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	5	27.40	458.3	13	3.77	4.2
20-34 YRS	22	21.50	231.8	81	5.56	32.4
35-49 YRS	8	31.63	758.0	26	7.69	60.6
50-64 YRS	2	5.50	40.5	29	13.72	319.6
65+ YRS	0	0.0	0.0	9	14.22	178.9
B. OPERATED						
00-19 YRS	1	11.00	0.0	5	2.60	0.3
20-34 YRS	5	7.80	14.2	76	4.72	12.2
35-49 YRS	1	38.00	0.0	27	6.30	30.8
50-64 YRS	0	0.0	0.0	4	10.25	23.6
65+ YRS	0	0.0	0.0	2	11.00	18.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	12	16.83	304.9	12	2.92	7.5
B. OPERATED	10	5.30	33.8	51	3.27	7.8
2. MULTIPLE DX						
A. NOT OPERATED	37	23.62	371.9	158	7.75	105.4
B. OPERATED	7	12.57	136.6	114	5.31	18.2
1. SINGLE DX	22	11.59	208.7	63	3.21	7.7
2. MULTIPLE DX	44	21.86	347.1	272	6.73	70.1
A. NOT OPERATED	49	21.96	357.5	170	7.41	99.9
B. OPERATED	17	8.29	83.8	165	4.68	15.8
TOTAL 00-19 YRS	7	22.57	373.6	32	3.44	7.5
TOTAL 20-34 YRS	44	16.66	233.0	190	4.70	20.0
TOTAL 35-49 YRS	12	26.17	630.9	62	6.63	41.6
TOTAL 50-64 YRS	3	4.00	27.0	40	11.70	245.8
TOTAL 65+ YRS	0	0.0	0.0	11	13.64	146.7
GRAND TOTAL	66	18.44	320.9	335	6.07	60.2



## OAK KNOLL

PAS\_CODE\_211

TYPE OF PATIENT	ACTIVE DUTY			DEPENDENT & RETIRED		
	TOTAL PATTS.	AVG. STAY	VAR.	TOTAL PATTS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	4.00	0.0	2	0.50	0.5
35-49 YRS	1	1.00	0.0	3	2.67	4.3
50-64 YRS	0	0.0	0.0	2	4.00	18.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	1	2.00	0.0	1	1.00	0.0
35-49 YRS	0	0.0	0.0	1	2.00	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	1	2.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	2	50.50	2120.5	5	7.00	23.5
20-34 YRS	19	29.95	594.7	19	14.21	286.8
35-49 YRS	8	37.38	643.1	25	10.24	166.2
50-64 YRS	0	0.0	0.0	61	11.15	122.6
65+ YRS	0	0.0	0.0	32	12.38	125.2
B. OPERATED						
00-19 YRS	1	3.00	0.0	6	12.17	109.0
20-34 YRS	0	0.0	0.0	6	5.33	24.7
35-49 YRS	3	33.00	481.0	7	10.14	53.5
50-64 YRS	0	0.0	0.0	14	13.14	195.5
65+ YRS	0	0.0	0.0	3	25.00	292.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	2	2.50	4.5	7	2.43	6.6
B. OPERATED	1	2.00	0.0	3	1.67	0.3
2. MULTIPLE DX						
A. NOT OPERATED	29	33.41	688.0	142	11.53	147.5
B. OPERATED	4	25.50	545.7	36	12.08	140.9
1. SINGLE DX	3	2.33	2.3	10	2.20	4.6
2. MULTIPLE DX	33	32.45	660.1	178	11.64	145.4
A. NOT OPERATED	31	31.42	701.9	149	11.10	144.5
B. OPERATED	5	20.80	519.7	39	11.28	137.7
TOTAL 00-19 YRS	3	34.67	2312.3	11	9.82	71.2
TOTAL 20-34 YRS	21	27.38	601.0	28	10.86	222.1
TOTAL 35-49 YRS	12	33.25	603.7	36	9.36	129.4
TOTAL 50-64 YRS	0	0.0	0.0	77	11.32	132.5
TOTAL 65+ YRS	0	0.0	0.0	36	13.14	143.7
GRAND TOTAL	36	29.94	674.9	188	11.14	142.4





OAK KNOLL

PAS\_CODE\_212

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	714	3.24	3.9
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	2	3.00	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	206	4.51	13.7
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	10	3.00	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	714	3.24	3.9
B. OPERATED	0	0.0	0.0	2	3.00	0.0
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	206	4.51	13.7
B. OPERATED	0	0.0	0.0	10	3.00	0.0
1. SINGLE DX	0	0.0	0.0	716	3.24	3.9
2. MULTIPLE DX	0	0.0	0.0	216	4.44	13.2
A. NOT OPERATED	0	0.0	0.0	920	3.52	6.4
B. OPERATED	0	0.0	0.0	12	3.00	0.0
TOTAL 00-19 YRS	0	0.0	0.0	932	3.52	6.3
TOTAL 20-34 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 35-49 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 50-64 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	0	0.0	0.0	932	3.52	6.3



OAK KNOLL

PAS\_CODE\_213

	ACTIVE DUTY			DEPENDENT & RETIRED		
TYPE OF PATIENT	TOTAL PATS.	AVG. STAY	VAR.	TOTAL PATS.	AVG. STAY	VAR.
1. SINGLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	52	6.29	5.2
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED						
00-19 YRS	0	0.0	0.0	12	8.08	26.3
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	1	3.00	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
B. OPERATED						
00-19 YRS	0	0.0	0.0	0	0.0	0.0
20-34 YRS	0	0.0	0.0	0	0.0	0.0
35-49 YRS	0	0.0	0.0	0	0.0	0.0
50-64 YRS	0	0.0	0.0	0	0.0	0.0
65+ YRS	0	0.0	0.0	0	0.0	0.0
SUB TOTALS:						
1. SINGLE DX						
A. NOT OPERATED	0	0.0	0.0	52	6.29	5.2
B. OPERATED	0	0.0	0.0	0	0.0	0.0
2. MULTIPLE DX						
A. NOT OPERATED	0	0.0	0.0	13	7.69	26.1
B. OPERATED	0	0.0	0.0	0	0.0	0.0
1. SINGLE DX	0	0.0	0.0	52	6.29	5.2
2. MULTIPLE DX	0	0.0	0.0	13	7.69	26.1
A. NOT OPERATED	0	0.0	0.0	65	6.57	9.3
B. OPERATED	0	0.0	0.0	0	0.0	0.0
TOTAL 00-19 YRS	0	0.0	0.0	64	6.63	9.3
TOTAL 20-34 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 35-49 YRS	0	0.0	0.0	0	0.0	0.0
TOTAL 50-64 YRS	0	0.0	0.0	1	3.00	0.0
TOTAL 65+ YRS	0	0.0	0.0	0	0.0	0.0
GRAND TOTAL	0	0.0	0.0	65	6.57	9.3



## APPENDIX C.

### INTRA-HOSPITAL LCS COMPARISONS

The following example describes the partitioning and logarithmic transformation procedures utilized in performing the required analysis for the intra-hospital active duty vs. dependent/retired military length of stay comparisons for Balboa and Oak Knoll hospitals. Referring to Balboa PAS code 106 in appendix B, the active duty and dependent/retired categories for multiple DX, not operated, and age 00-19 years shows that there were 238 active duty occurrences and 71 dependent/retired occurrences. The coefficient of variation, formed by the ratio of population standard deviation and population mean was .87 and 1.1 respectively. With the coefficients of variation close to 1.0, the two groups of individual length of stay data points were partitioned into sub-groups of size 10, providing 23 sub-groups for active duty patients and 7 sub-groups for dependent/retired military patients. This necessitated exclusion of 8 randomly selected length of stays for the active duty group and 1 length of stay for the dependent/retired military group. The mean of each sub-group was then computed and a logarithmic transformation applied. These logarithmic transformed sub-group means were then used to compute a new group mean and variance to be used for between group comparisons of active duty and dependent/retired military patients.

The new group variances were then tested for homogeneity with an "F"-test. The test statistic used was:[Ref. 5]

$$F = \frac{S_x^2}{S_y^2}$$



- 1) Assumptions: observations are random samples from normal populations.
- 2)  $S_x^2$  = Largest sample variance.
- 3)  $S_y^2$  = Smallest sample variance.
- 4)  $n_x$  = Sample size of population with largest sample variance.
- 5)  $n_y$  = Sample size of population with smallest sample variance.
- 6) Critical region:  $F > F_{.95; n-1, n-1}$  if  $S_x^2 > S_y^2$  and desire to reject when  $\sigma_x \neq \sigma_y$ .

In this particular example, the computed value of  $F$  was 3.18 compared to a tabular value of  $F_{.95; 22, 6} = 3.85$ . Since the computed value of  $F$  was less than the tabular value; the two group variances were assumed to be equal.

The comparison of the mean was then undertaken. There are two variations of the "t"-test used to test for equality of means. When the "F"-test indicated equality of variances the following statistic was used:[Ref. 6]

$$t = \frac{\bar{X} - \bar{Y}}{\sqrt{\frac{(n_x - 1)S_x^2 + (n_y - 1)S_y^2}{n_x + n_y - 2} \left( \frac{1}{n_x} + \frac{1}{n_y} \right)}}$$

- 1) Assumptions: Variances are equal and unknown, populations are normally distributed.
- 2)  $\bar{X}$  = largest sample mean.
- 3)  $\bar{Y}$  = Smallest sample mean.





4)  $n_x$  = Sample size of population with largest sample mean.

5)  $n_y$  = Sample size of population with smallest sample mean.

6) Critical region:  $t > t_{.95; n_x + n_y - 2}$  and desire to reject when  $u_x \neq u_y$ .

In this example, the computed "t" statistic, 5.97, was greater than the tabulated "t" statistic, 1.70, which caused rejection of the hypothesis that mean length of stay for military was equal to mean length of stay for dependent/retired military for PAS code 106.

A variation of the "t"-test was used when F-test results indicated that the population variances were not equal. The test statistic used to compare population means in this case was:[ Ref. 6 ]

$$t = \frac{\bar{X} - \bar{Y}}{\sqrt{S_x^2 \frac{1}{n_x} + S_y^2 \frac{1}{n_y}}}$$

1) Assumptions: Variances are unknown and unequal, populations are normally distributed.

2)  $\bar{X}$  = Largest sample mean.

3)  $\bar{Y}$  = Smallest sample mean.

4)  $n_x, n_y$  = Respective sample sizes.

5)  $S_x^2, S_y^2$  = Respective sample variances.

6) Degrees of freedom were calculated using the following equation:



$$v = - 2 + \frac{\left( \frac{S_x^2}{n_x} + \frac{S_y^2}{n_y} \right)^2}{\sqrt{\frac{S_x^2}{n_x} + \frac{S_y^2}{n_y}}}$$

Where degrees of freedom is equal to the nearest integer value of v.

7) Critical region:  $t > t_{.95, v}$  and desire to reject

when  $u_x > u_y$ .

A table providing complete results for all "F" and "t"-tests developed in the comparisons of active duty length of stay vs. dependent/retired military length of stay for selected diagnosis codes follows.

The table headings are for the most part self-explanatory, but the following definitions are provided to ease translation difficulties:

- 1) # PATS: number of patients in PAS code category.
- 2) F STAT: computed "F" statistic.
- 3) F TAB: table value for "F" statistic.
- 4) T STAT: computed "t" statistic.
- 5) T TAB: table value for "t" statistic.
- 6) REJECT: indicates whether the null hypothesis, that mean LOS's are equal, was rejected or not.



# OAK KNOLL ACTIVE DUTY LOS VS. DEPENDENT/RETIRED LOS

PAS CODE	AGE	# PATS	F STAT	F TAB	T STAT	T TAB	REJECT
89(1)	35-49	28	14.84	1.33	5.43	1.86	YES
89(2)	35-49	70					
91	35-49	16	2.91	2000.0	3.43	1.90	YES
91	35-49	59					
111	20-34	52	*****	1.90	83.79	1.78	YES
111	20-34	25					
112	20-34	21	1.33	3.86	4.64	1.78	YES
112	20-34	23					
122	35-49	21	1.02	6.39	3.74	1.86	YES
122	35-49	21					
125	20-34	16	2782.0	161.4	1.00	1.73	NO
125	20-34	17					
174	00-19	27	29.74	19.16	3.44	1.78	YES
174	00-19	33					
190	00-19	22	1.23	240.5	4.20	1.81	YES
190	00-19	102					
190	20-34	28	7.23	9.28	2.15	2.13	YES
190	20-34	14					
190	20-34	70	1.03	8.94	4.09	1.83	YES
190	20-34	42					
190	35-49	21	9555.0	236.8	7.01	1.71	YES
190	35-49	83					
195	00-19	14	29.24	161.4	3.08	2.92	YES
195	00-19	14					
200	00-19	14	16.28	161.4	2.57	2.92	NO
200	00-19	15					
202	00-19	40	10.11	19.16	4.59	2.02	YES
202	00-19	33					
205	00-19	19	3.53	161.4	6.55	2.92	YES
205	00-19	20					
208	20-34	18	5.04	18.51	4.36	2.35	YES
208	20-34	28					
210	20-34	22	5.49	5.59	4.04	1.86	YES
210	20-34	81					
211	20-34	19	2.83	161.4	5.45	2.92	YES
211	20-34	19					

(1) ACTIVE DUTY

(2) DEPENDENT/RETIRED



## BALBOA ACTIVE DUTY LOS VS. DEPENDENT/RETIRED LOS

PAS CODE	AGE	# PATS	F STAT	F TAB	T STAT	T TAB	REJECT
106(1)	00-19	238	3.19	3.85	5.43	1.70	YES
106(2)	00-19	71					
111	00-19	43	*****		32.19	1.83	YES
111	00-19	111					
112	20-04	153	11.43	3.42	24.03	1.69	YES
112	20-34	48					
112	20-34	43	1.27	10.13	6.47	2.13	YES
112	20-34	21					
122	00-19	63	1.0	2.36	42.30	1.70	YES
122	00-19	109					
122	35-49	43	4.44	9.12	4.57	2.13	YES
122	35-49	33					
172	00-19	23	4.25	19.0	11.44	2.35	YES
172	00-19	26					
190	00-19	138	5.46	2.60	14.09	1.74	YES
190	00-19	149					
190	00-19	111	1.17	2.60	9.83	1.75	YES
190	00-19	157					
190	20-34	180	1.0	2.81	3.09	1.94	YES
190	20-34	60					
190	20-34	113	1.58	5.96	9.54	2.02	YES
190	20-34	52					
190	20-34	60	2.56	4.39	7.17	1.94	YES
190	20-34	49					
190	35-49	67	2.21	3.33	4.94	1.80	YES
190	35-49	110					
197	00-19	71	2.50	4.76	5.72	2.13	YES
197	00-19	42					
200	00-19	32	3.11	9.28	8.93	2.13	YES
200	00-19	36					

(1) ACTIVE DUTY

(2) DEPENDENT/RETIRED





APPENDIX D.  
INTER-HOSPITAL LCS COMPARISONS

The statistical procedures utilized in the inter-hospital length of stay comparisons for dependent/retired military care were identical to those described in Appendix C. A table providing results of all "F" and "t"-tests developed by these comparisons follows.

The table headings are for the most part self-explanatory, but the following definitions are provided to ease translation difficulties:

- 1) # PATS: number of patients in PAS code category.
- 2) F STAT: computed "F" statistic.
- 3) F TAB: table value for "F" statistic.
- 4) T STAT: computed "t" statistic.
- 5) T TAB: table value for "t" statistic.
- 6) REJECT: indicates whether the null hypothesis, that mean LOS's are equal, was rejected or not.



OAK KNOLL DEPENDENT/RETIRED LOS  
VS.  
BALBOA DEPENDENT/RETIRED LOS

PAS CODE	AGE	# PATS	F STAT	F TAB	T STAT	T TAB	REJECT
63(1)	50-64	53	1.38	6.39	1.66	1.86	NO
63(2)	50-64	51					
89	50-64	106	2.15	3.23	2.39	1.86	YES
89	50-64	96					
91	50-64	161	1.31	2.35	0.44	1.69	NO
91	50-64	194					
91	65 +	156	1.01	2.45	1.37	1.70	NO
91	65 +	174					
93	50-64	102	3.06	2.80	13.22	1.76	YES
93	50-64	132					
93	65 +	114	1.83	2.72	.01	1.71	NO
93	65+	166					
111	00-19	114	*****		20.86	1.71	YES
111	00-19	111					
113	50-64	98	2.60	8.85	1.54	1.80	NO
113	50-64	47					
113	65 +	57	1.33	6.39	.76	1.86	NO
113	65 +	57					
190	50-64	110	1.44	2.75	1.10	1.72	NO
190	50-64	131					
190	35-49	83	1.00	3.64	0.49	1.74	NO
190	35-49	110					
210	20-34	81	1.37	3.79	0.28	1.76	NO
210	20-34	84					

(1) OAK KNOLL

(2) BALBOA



## APPENDIX E.

### MILITARY VS. CIVILIAN HOSPITAL LOS COMPARISONS.

The statistical tests used to compare length of stay for dependent/retired military patients of Balboa and Oak Knoll Hospitals vs. PAS results differed from those used in Appendix C and D. Since PAS results did not provide individual length of stay figures, but only population mean and variance information, the partitioning and logarithmic transformation techniques utilized in previous analysis had no application.

The table headings are for the most part self-explanatory, but the following definitions are provided to ease translation difficulties:

- 1) # PATS: number of patients in PAS code category.
- 2) F STAT: computed "F" statistic.
- 3) F TAB: table value for "F" statistic.
- 4) T STAT: computed "t" statistic.
- 5) T TAB: table value for "t" statistic.
- 6) STATUS: indicates whether military hospital mean LOS was equal, larger, or smaller than PAS hospital LOS.



## OAK KNOLL LOS VS. PAS LOS

PAS CODE	AGE	# PATS	VAR.=	T STAT	T TAB	STATUS
37	50-64	51	NO	1.45	0.76	EQUAL
45	35-49	57	NO	2.28	2.40	EQUAL
58	50-64	74	NO	2.92	2.63	LARGER
63	50-64	53	YES	2.47	2.33	LARGER
79	00-19	85	YES	32.30	2.33	LARGER
84	00-19	83	NO	2.49	2.37	LARGER
89	35-49	70	NO	3.62	3.37	LARGER
89	50-64	106	YES	4.36	3.33	LARGER
89	65 +	49	NO	1.70	2.43	EQUAL
91	35-49	58	NO	1.38	2.39	EQUAL
91	50-64	161	NO	4.05	2.34	LARGER
91	65 +	156	NO	1.69	2.34	EQUAL
93	50-64	102	YES	3.05	2.33	LARGER
93	65 +	114	NO	2.27	2.36	EQUAL
111	00-19	114	YES	3.77	2.33	LARGER
111	00-19	77	NO	25.50	2.33	LARGER
113	50-64	98	NO	2.89	2.37	LARGER
113	65 +	57	NO	1.61	2.39	EQUAL
126	50-64	50	NO	3.06	2.41	LARGER
153	20-34	51	NO	16.96	2.33	SMALLER
154	00-19	64	NO	2.46	2.33	LARGER
154	20-34	254	NO	3.13	2.33	SMALLER
154	20-34	136	NO	0.54	2.35	EQUAL
162	20-34	64	NO	2.95	2.35	SMALLER
165	20-34	65	NO	.53	2.37	EQUAL
188	00-19	68	YES	1.01	2.33	EQUAL
189	00-19	197	NO	10.48	2.33	SMALLER
190	00-19	102	NO	1.23	2.60	EQUAL
190	35-49	83	NO	1.19	2.70	EQUAL
190	50-64	110	NO	3.06	2.40	LARGER
190	65 +	59	NO	1.73	2.39	EQUAL
210	20-34	81	NO	4.65	2.38	LARGER
210	20-34	76	NO	2.46	2.38	LARGER
211	50-64	61	NO	3.42	2.33	SMALLER





## OAK KNOLL LOS VS. PAS LOS

PAS CODE	AGE	# PATS	VAR.=	T STAT	T TAB	STATUS
212	N.A.	714	NO	5.33	2.33	LARGER
212	N.A.	206	NO	3.44	2.33	LARGER
213	N.A.	52	YES	3.52	2.33	LARGER



## BALBOA LOS VS. PAS LOS

PAS CODE	AGE	# PATS	VAR.=	T STAT	T TAB	STATUS
22	50-64	63	NO	6.64	2.34	LARGER
58	50-64	62	NO	2.41	2.39	LARGER
58	65 +	56	NO	3.77	2.39	LARGER
63	50-64	51	NO	3.42	2.36	LARGER
79	00-19	51	YES	0.00	2.33	EQUAL
84	00-19	78	YES	1.55	2.33	EQUAL
84	00-19	50	NO	0.84	2.40	EQUAL
84	00-19	57	NO	1.25	2.33	EQUAL
89	35-49	56	NO	3.48	2.40	LARGER
89	50-64	96	NO	5.04	2.37	LARGER
89	65 +	51	NO	1.92	2.38	EQUAL
90	50-64	51	NO	0.29	2.40	EQUAL
91	35-49	110	NO	1.70	2.35	EQUAL
91	50-64	194	NO	4.51	2.36	LARGER
91	65 +	174	NO	3.50	2.36	LARGER
93	35-49	60	NO	2.22	2.39	EQUAL
93	50-64	132	NO	4.94	2.36	LARGER
93	65 +	166	NO	3.81	2.35	LARGER
106	00-19	65	NO	1.95	2.39	EQUAL
106	00-19	71	NO	0.80	2.39	EQUAL
110	00-19	135	NO	5.44	2.34	SMALLER
111	00-19	111	NO	35.22	2.33	LARGER
113	65 +	57	NO	3.19	2.39	LARGER
122	00-19	109	NO	1.01	2.36	EQUAL
122	50-64	65	YES	0.98	2.33	EQUAL
135	50-64	54	NO	1.11	2.39	EQUAL
135	65 +	64	NO	2.01	2.39	EQUAL
136	00-19	51	NO	0.68	2.39	EQUAL
136	00-19	50	NO	1.12	2.38	EQUAL
142	35-49	61	YES	1.77	2.33	EQUAL
143	35-49	80	NO	1.25	2.36	EQUAL
143	50-64	80	YES	1.21	2.33	EQUAL
153	20-34	177	NO	0.19	2.34	EQUAL
154	20-34	311	NO	10.53	2.33	LARGER



## BALBOA LOS VS. PAS LOS

PAS CODE	AGE	# PATS	VAR.=	T STAT	T TAB	STATUS
154	00-19	319	NO	1.49	2.33	EQUAL
154	20-34	1346	NO	2.03	2.33	EQUAL
154	35-49	54	YES	.58	2.39	EQUAL
154	20-34	98	NO	3.92	2.35	LARGER
170	20-34	80	NO	3.35	2.37	LARGER
188	00-19	57	NO	3.39	2.39	LARGER
188	00-19	49	NO	0.25	2.39	EQUAL
189	00-19	89	NO	8.96	2.36	SMALLER
189	00-19	81	YES	4.83	2.35	SMALLER
190	00-09	149	NO	3.06	2.35	LARGER
190	20-34	60	NO	2.19	2.39	EQUAL
190	20-34	52	NO	0.98	2.39	EQUAL
190	00-19	157	NO	3.88	2.35	LARGER
190	20-34	52	NO	1.47	2.38	EQUAL
190	35-49	110	NO	4.24	2.36	LARGER
190	50-64	131	NO	6.47	2.35	LARGER
190	65 +	79	NO	3.25	2.37	LARGER
190	35-49	57	NO	2.88	2.39	LARGER
190	50-64	56	NO	2.86	2.39	LARGER
200	00-19	127	NO	0.05	2.36	EQUAL
202	00-19	57	NO	2.01	2.39	EQUAL
210	20-34	50	YES	0.65	2.33	EQUAL
210	20-34	67	NO	2.17	2.36	EQUAL
210	20-34	84	NO	2.86	2.37	LARGER
210	20-34	55	NO	4.33	2.37	LARGER
212	N.A.	1145	NO	9.99	2.33	LARGER
212	N.A.	1123	NO	1.16	2.35	EQUAL
212	N.A.	134	NO	0.87	2.35	EQUAL
212	N.A.	133	YES	1.40	2.35	EQUAL
213	N.A.	94	YES	2.74	2.37	LARGER
213	N.A.	106	NO	0.67	2.58	EQUAL



## LIST OF REFERENCES

1. Report to the President and the Chairman of Armed Services Committees of the Senate and of the House of Representatives (P.L. 92-129) "Progress In Ending the Draft and Achieving the All-Volunteer Force" submitted by M.R. Laird, Secretary of Defense, August 1972.
2. Commander's Digest Published by Department of Defense VOLUME 14, Number 13, September 27, 1973.
3. Length of Stay in PAS Hospitals, United States, Regional, 1971. Prepared by the Commission on Professional and Hospital Activities, October 1972.
4. Dixon, W.J. and Massey, F.J., Jr., Introduction to Statistical Analysis, p. 324, McGraw-Hill 1969.
5. Kirk, R.E., Experimental Design: Procedures for the Behavioral Sciences, P. 61-62, P. 103-104, Brooks/Cole, 1968.
6. Chemical Rubber Company, Handbook of Tables for Probability and Statistics, P. 26, 2nd Edition, 1968.





# INITIAL DISTRIBUTION LIST

	No. Copies
1. Defense Documentation Center Cameron Station Alexandria, Virginia 22314	2
2. Chief of Naval Personnel Pers.11b Department of the Navy Washington, D.C. 20370	1
3. Library, Code 0212 Naval Postgraduate School Monterey, California 93940	2
4. Department Chairman, Code 55 Department of Operations Research and Administrative Sciences Naval Postgraduate School Monterey, California 93940	2
5. Asst. Professor D.R. Whipple, Jr., Code 55Wp Department of Operations Research and Administrative Sciences Naval Postgraduate School Monterey, California 93940	10
6. Professor P.A.W. Lewis, Code 55Lw Department of Operations Research and Administrative Sciences Naval Postgraduate School Monterey, California 93940	2
7. LCDR Walter F. Welham, Jr. 3636 Filley Lane Bonita, California 92002	2
8. LT Francis A. Judnich 18535 Gladville Homewood, Illinois 60430	2



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A Comparison of Patient Length of Stay: Military Versus Civilian Health Care Delivery		5. TYPE OF REPORT & PERIOD COVERED Master's Thesis; March 1974
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Walter F. Welham, Jr. and Francis A. Judnich		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		12. REPORT DATE March 1974
		13. NUMBER OF PAGES 106
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Naval Postgraduate School Monterey, California 93940		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Length-of-stay Military Active Duty Health Care Military Dependent Health Care		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The study represents an effort to determine if in-patient mean length of stay for military medical facilities differs significantly from recorded mean length of stay for civilian health care facilities. Dependent/retired military health care was segregated from total military health care records for Balboa and Oak Knoll Naval Hospitals and compared with civilian health care delivery performance for the western region of the United States.		



20. (cont'd)

Comparative analysis showed that mean lengths of stay for active duty personnel were significantly greater than comparable dependent/retired military mean lengths of stay. Dependent/retired military mean lengths of stay are essentially the same for Balboa and Oak Knoll Naval Hospitals. The study also indicated that there is no strong evidence that lengths of stay in the civilian sector are significantly less than lengths of stay in the military health care facilities.



Thesis

148637

W414 Welham  
c.1

A comparison of pa-  
tient length of stay:  
military versus civil-  
ian health care deliv-  
ery.

OCT 10 85  
23 AUG 88

33224<sup>16</sup>  
35058

Thesis

148637

W414 Welham  
c.1

A comparison of pa-  
tient length of stay:  
military versus civil-  
ian health care deliv-  
ery.

thesW414

A comparison of patient length of stay :



3 2768 001 95214 6

DUDLEY KNOX LIBRARY